



# **INFORM SERIES**

01.01.2024



# THE INFORM SERIES

Greet the users of the library with the clear design of the Inform series of counters, desks and search stations.

The Inform series is easily recognized due to its up to 40 mm thick panels, creating a continuous frame around the work space. The counter system is specially designed for library use and is both functional, expandable and allows to a great extent customization to your needs. Compliment the counter with desks and search stations placed strategically around the library to create functional and user friendly work spaces for both the staff as well as the users of the library.

All three types of work spaces have a range of accessories available to create the right setting for all users.





# **INDEX**

DESIGN OPTIONS	4
TECHNICAL SPECIFICATIONS	9
SEARCH STATION	10
DESKS	12
COUNTER	
CONFIGURATION OPTIONS	

STANDARD COUNTER	)
Rectangular counter	
45° curved counter24	ŀ
90° curved counter	
Rectangular counter (combination with recessed counter) 28	6
45° curved counter (combination with recessed counter) 30	)
90° curved counter (combination with recessed counter) 32	
Connections	ŀ
Configurations	i.

#### **RECESSED COUNTER**

	36
Rectangular counter	38
45° curved counter	40
90° curved counter	42
Rectangular counter (combination with standard counter)	44
45° curved counter (combination with standard counter)	46
90° curved counter (combination with standard counter	46
Connections	50
Configurations	51

# Counter tops54Front panels55Middle panels56Configurations57

	58
Square corner counter top and front panel	
Triangular corner counter top and front panel	61

#### **INFO TABLES**

	62
Counter top with foot and side panel	64
Counter top with panel and side panel	

HEIGHT ADJUSTABLE COUNTER	66
Height adjustable rectangular counter	70
H740 mm rectangular counter for height adjustable	72
H740 mm 45° curved counter for height adjustable	
H740 mm 90° curved counter for height adjustable	
H740 mm 45° curved counter for height adjustable	
and recessed	78
H740 mm 90° curved counter for height adjustable	
and recessed	79
Square corner counter for height adjustable	80
Triangular corner counter for height adjustable	81
Middle panels	
Configurations	

COUNTER SHELVES For rectangular counter For corner counter For 45° curved counter For 90° curved counter	
DISPLAY AND STORAGE	
Corner display unit	
Display cabinet with storage	95
Display cabinet with drawers	
Display cabinet with shelves and shelving options	
Display cabinet with book trolley	
Accessories for display cabinet	
FUNCTIONS	
Bag shelves	
Counter top part with info sign	
Counter top part with bag shelf	
Decorative board and info sign	111
Functional accessories	
Power sockets	115
FRONT PANEL OPTIONS	
LED lighting	
Graphics	
DRILL HOLES FOR CABLE CONDUCT & RFID	



### **STEEL COMPONENTS - PAINTED**

### A PRICE GROUP - BASIS PRICE (smooth finish)



A02 **Oyster white** RAL 1013 Gloss 40-50



A15 **Dusty grey** RAL 7037 Gloss 71-85



RAL 7043 Gloss 71-85

A22 Moss green RAL 6005 Gloss 71-85



A17 **Basalt grey** RAL 7012 Gloss 71-85



A26 Fir green RAL 6009 Gloss 71-85



A18 Slate grey RAL 7015 Gloss 71-85



A12 Steel blue RAL 5011 Gloss 71-85



A19 Anthracite grey RAL 7016 Gloss 71-85



A13 **Light grey** RAL 7035 Gloss 71-85



A25 Jet black RAL 9005 Gloss 71-85

### **B** PRICE GROUP - BASIS PRICE WITH 7% SURCHARGE (smooth finish)

A01 **Pure white** RAL 9010 Gloss 71-85





A09 Ruby red RAL 3003 Gloss 71-85



A21 **Reseda green** RAL 6011 Gloss 71-85

A05 Sun yellow RAL 1037 Gloss 71-85



A10 **Pigeon blue** RAL 5014 Gloss 71-85



A11

RAL 5020

Gloss 71-85

**Ocean blue** 



A07 Pearl orange RAL 2013 Gloss 65-85

A14

RAL 9006 Gloss 50-70

White aluminium



A08

Flame red

RAL 3000

A31 **Grey aluminium** RAL 9007 Gloss 50-70

### **B** PRICE GROUP - BASIS PRICE WITH 7% SURCHARGE (textured finish)



- Other RAL/NCS colours have a starter fee of GBP 215 / EUR 250 and a surcharge of 15%. A higher surcharge for colours with "metallic" look or different surface textures must be expected.
- See specific colour for steel gloss specification. Special requests outside specified gloss range are not covered by the above • surcharges.



### ACRYLIC COMPONENTS



Crystal clear

046 Frost white

047 Arctic blue



<sup>•</sup> The acrylic front panels can be combined with acrylic side panels on shelving in the same colour. They can also be combined with lighting.



WOODEN COMPONENTS - MELAMINE/LAMINATE

### **A** PRICE GROUP - BASIS PRICE







D04/L04 **Beech decor** 



D06/L06

D62/L62

**Pure white** 

Similar to RAL 9010





D63/L63

RAL 5011

Steel blue

Oak decor



D71/L71 **Dusty grey** Similar to RAL 7037



**Olive decor** 



**Basalt grey** Similar to RAL 7012



D19/L19 Slate grey Similar to RAL 7015 and RAL 7016

D68/L68 **Reseda green** 

S1060-G40Y Similar to RAL 6011









D70/L70

### **C** PRICE GROUP - BASIS PRICE WITH 10% SURCHARGE

D65/L65 fellow orange RAL 2000	<b>D66/L66</b> <b>Pure orange</b> RAL 2004	<b>D67/L67 Traffic red</b> RAL 3020	E02/L02 Ruby red Similar to RAL 3003	D13/L13 Lime green Similar to NCS S10
	ellow orange	Vellow orange Pure orange	ellow orange Pure orange Traffic red	Yellow orange Pure orange Traffic red Ruby red

D14/L14 D73/L73 **Crystal blue Pigeon blue** Similar to NCS S1020-R90B RAL 5014

Similar to RAL 5020

D74/L74 **Ocean blue** 

D69/L69 **Light grey** Similar to RAL 7035



White aluminium Jet black Similar to RAL 9006



D75/L75 Similar to RAL 9005

- The above selection of colours are shown in both melamine (D/Exx) and laminate (Lxx). •
- If you order a product (e.g. Inform Search station) in two different colours from price group C, then please note that you will • be charged two times the surcharge - one for each colour.



### WOODEN COMPONENTS - VENEER



66

Oak



Light steamed

beech





67

Maple





Ash



Birch

Table and work surfaces with solid wood veneer only have limited abrasion resistance. We recommend using HPL (which has ٠ a special overlay). For these types of surfaces, due to its higher durability against damages and scratches. Do not use veneer surfaces. If veneer is used for counter tops, we do not accept any complaints for damages or scratches.









# TECHNICAL SPECIFICATIONS

### **STEEL COMPONENTS**

are powder coated with standard polyester based powders that secures high UV resistance. Powders comply with EN 45545 (fire protection - similar to DIN 4201). Thickness of the coating is 60-80 my.

The powder used includes:

- no triglycidylisocyanurate (TGIC)
- no heavy metal-containing pigments such as lead and cadmium
- no volatiles

Antibacterial equipping of surfaces upon request.

#### LEG FRAMES

are made of steel section 40 x 40 x 2 mm and 40 x 20 x 2 mm and finished with a powder coat of thermo hardened polyester powder or epoxy (depending on choice of colour). Note: a leg frame is required per counter top in the same counter height.

### **WOODEN COMPONENTS**

are either melamine coated, high pressure laminated (HPL) or have a environmental-friendly transparent lacquered veneer finish. Differences in colour underline the characteristics of veneer and cannot be avoided. They are conform to the norm EN 13986 of material type P2 and must only be used indoors. The border on each wooden panel is finished with an edge of melamine or with an edge of ABS (radius 2 mm). The edges are in the same colour of the wooden panels.

#### SEARCH STATION AND DESK

are produced in 40 mm particle board and have a melamine/veneer finish.

#### **COUNTERS, SIDE- & MIDDLE PANELS, BAG SHELVES AND COUNTER SHELVES**

are produced in 40 mm particle board and have a HPL finish.

#### WOODEN CABINETS, COUNTER TOP PARTS AND DECORATIVE BOARDS

are produced in 19 mm particle board and have a melamine/veneer finish.

#### STRAIGHT WOODEN FRONT PANELS FOR COUNTERS AND COUNTER SHELVES

are produced in 19 mm particle board and have a melamine/veneer finish.

#### CURVED WOODEN FRONT PANELS FOR COUNTERS AND COUNTER SHELVES

are produced in 19 mm particle board and have a HPL finish.

#### PLINTH

is produced in 19 mm particle board and has a melamin aluminum finish.

### **ACRYLIC COMPONENTS**

#### **ACRYLIC FRONT PANELS**

are made of 5 mm acrylic glass panel, known as Plexiglas XT®. This material is conform with the EU norm EN 13501-1 (classification D like the German's norm DIN 4102-1)

## 

### LIGHTING FOR COUNTER

You can add light under the counter with the use of an acrylic front panel. This light is only for use indoors and is conform with the norm 60598-1 ed 2000 + A 11 ed. 2000, EN 60598-2-1 Ed. 1998.

### **CLEANING**

Clean wooden-, metal- and acrylic surfaces with a damp cloth and wipe dry with a clean cloth. Use a water based cleaning agent. DO NOT USE A DETERGENT!



# INFORM SEARCH STATION

SINGLE- AND DOUBLE-SIDED





www.sbnl.be 2024 - Inform 10

# **INFORM SEARCH STATION**

### SINGLE- AND DOUBLE-SIDED

Search station with offset keyboard and monitor levels. Place the CPU in the lockable cabinet with sufficient ventilation provided by the recoiling base and the air and cable conduct. Place freestanding monitor on the top level, alternately install a console for flat-screen monitors. The back wall/door can be ordered in different colours compared to the top/ side panels.

#### Inform search station - single-sided

Exterior: W750 x D625 x H1065 mm Interior: W670 x D260 x H740 mm With choice of desk grommet.	Material	Colour	ltem no. Melamine	ltem no. Veneer
	Plastic	Black	BI610126	BI616122
	Plastic	Oyster white	BI610186	BI616182
	Plastic	Silver	BI610196	BI616192
	Metal	Stainless steel	BI610136	BI616132

#### Inform search station - double-sided Exterior: W750 x D1200 x H1065 mm Interior: W670 x D610 x H740 mm

Material	Colour	ltem no. Melamine	ltem no. Veneer
Plastic	Black	Bi610226	BI616222
Plastic	Oyster white	Bi610286	BI616282
Plastic	Silver	Bi610296	BI616292
Metal	Stainless steel	Bi610236	BI616232



Console for flat-screen monitor

Laguered steel. Incl. mounting kit. Ideal for theft and tilt protection.

Item no.

B401418





# INFORM DESK

SOLO





www.sbnl.be 2024 - Inform 12


# INFORM DESK

Create a private workspace and work on your own with the Solo freestanding rectangular desk. For accessories, see page 113.

eestanding - with p	anel (H305 mm) placed 50 n	nm from front
W x D	ltem no.	ltem no.
mm	Melamine	Veneer
800 500	BI620104006	BI625104002
1000 500	BI620114006	BI625114002
1200 500	BI620124006	BI625124002
1400 500	BI620134006	BI625134002
1600 500	BI620144006	BI625144002
1800 500	BI620154006	BI625154002
800 600	BI620204006	BI625204002
1000 600	BI620214006	BI625214002
1200 600	BI620224006	BI625224002
1400 600	BI620234006	BI625234002
1600 600	BI620244006	BI625244002
1800 600	BI620254006	BI625254002
800 700	BI620304006	BI625304002
1000 700		BI625314002
1200 700		BI625324002
1400 700		BI625334002
1600 700		BI625344002
1800 700	BI620354006	BI625354002
800 800	<b>PI620404006</b>	BI625404002
		BI625414002
		BI625424002
		BI625434002
		BI625444002 BI625454002
	W         x         D           mm         800         500           1000         500           1200         500           1400         500           1600         500           1800         500           800         600           1000         600           1200         600           1400         600           1600         600           1800         600           1800         700           1200         700           1200         700           1400         700           1600         700           1600         700	mm         Melamine           800         500         Bl620104006           1000         500         Bl620114006           1200         500         Bl620124006           1400         500         Bl620134006           1600         500         Bl620144006           1800         500         Bl620214006           1800         500         Bl620214006           1000         600         Bl620224006           1400         600         Bl620224006           1400         600         Bl620254006           1400         600         Bl62034006           1800         600         Bl62034006           1800         600         Bl62034006           1800         700         Bl620314006           1800         700         Bl620324006           1400         700         Bl620324006           1400         700         Bl620334006           1600         700         Bl620344006           1800         700         Bl620344006           1800         700         Bl620354006           800         800         Bl620404006           1800         700         Bl6203440

### H1000 mm - Rectangular table - freestanding - with panel (H305 mm) placed 50 mm from front

For counter with predrilled holes for cable conduct see pages 120-121.



freestar	ndir	ng - with panel (H	1305 mm) placed 50 mm from	front
W	х	D	ltem no.	ltem no.
	mm	I	Melamine	Veneer
800		500	BI620106006	BI625106002
1000		500	BI620116006	BI625116002
1200		500	BI620126006	BI625126002
1400		500	BI620136006	BI625136002
1600		500	BI620146006	BI625146002
1800		500	BI620156006	BI625156002
800		600	BI620206006	BI625206002
1000		600	BI620216006	BI625216002
1200		600	BI620226006	BI625226002
1400		600	BI620236006	BI625236002
1600		600	BI620246006	BI625246002
1800		600	BI620256006	BI625256002
800		700	RU(0000/00/	BI/0500/000
1000		700	BI620306006	BI625306002
1200		700	BI620316006	BI625316002
1400		700	BI620326006	BI625326002
1400		700	BI620336006 BI620346006	BI625336002 BI625346002
1800		700	BI620356006	BI625356002
1000		,	BI020330000	DI023330002
800		800	BI620406006	BI625406002
1000		800	BI620416006	BI625416002
1200		800	BI620426006	BI625426002
1400		800	BI620436006	BI625436002
1600		800	BI620446006	BI625446002
1800		800	BI620456006	BI625456002
			2.020.00000	




### DUO

Work opposite one another with the Duo freestanding, rectangular table. For accessories, see page 113.

H740 mm - Rectangular table - freestanding - with panel (H305 mm) in the centre of table top W x D ltem no. ltem no.

For counter with predrilled holes for	
cable conduct see pages 120-121.	



mm	Melamine	Veneer
	Meidinne	Veneer
800 800	BI630404006	BI635404002
1000 800	BI630414006	BI635414002
1200 800	BI630424006	BI635424002
1400 800	BI630434006	BI635434002
1600 800	BI630444006	BI635444002
1800 800	BI630454006	BI635454002
800 1000	BI630504006	BI635504002
1000 1000	BI630514006	BI635514002
1200 1000	BI630524006	BI635524002
1400 1000	BI630534006	BI635534002
1000 1000	BI630544006	BI635544002
1800 1000	BI630554006	BI635554002
800 1200	BI630604006	BI635604002
1000 1200	BI630614006	BI635614002
1200 1200	BI630624006	BI635624002
1400 1200	BI630634006	BI635634002
1600 1200	BI630644006	BI635644002
1800 1200	BI630654006	BI635654002
800 1400	BI630704006	BI635704002
1000 1400	BI630714006	BI635714002
1200 1400	BI630724006	BI635724002
1400 1400	BI630734006	BI635734002
1600 1400	BI630744006	BI635744002
1800 1400	BI630754006	BI635754002
800 1600	BI630804006	BI635804002
1000 1600	BI630814006	BI635814002
1200 1600	BI630824006	BI635824002
1400 1600	BI630834006	BI635834002
1600 1600	BI630844006	BI635844002
1800 1600	BI630854006	BI635854002



Work opposite one another with the Duo freestanding, rectangular table. For accessories, see page 113.

H1000 mm - Rectangular table	- freestand	ding - with p	oanel (H305 mm) in the cent	re of table top
For counter with predrilled holes for	W	x D	ltem no.	ltem no.
cable conduct see pages 120-121.	n	ım	Melamine	Veneer
	800	800	BI630406006	BI635406002
$\sim$	1000	800	BI630416006	BI635416002
	1200	800	BI630426006	BI635426002
	1400	800	BI630436006	BI635436002
	1600	800	BI630446006	BI635446002
	1800	800	BI630456006	BI635456002
	800	1000	BI630506006	BI635506002
	1000	1000	BI630516006	BI635516002
	1200	1000	BI630526006	BI635526002
	1400	1000	BI630536006	BI635536002
	1000	1000	BI630546006	BI635546002
	1800	1000	BI630556006	BI635556002
	800	1200	BI630606006	BI635606002
	1000	1200	BI630616006	BI635616002
	1200	1200	BI630626006	BI635626002
	1400	1200	BI630636006	BI635636002
	1600	1200	BI630646006	BI635646002
	1800	1200	BI630656006	BI635656002
	800	1400	BI630706006	BI635706002
	1000	1400	BI630716006	BI635716002
	1200	1400	BI630726006	BI635726002
	1400	1400	BI630736006	BI635736002
	1600	1400	BI630746006	BI635746002
	1800	1400	BI630756006	BI635756002
			BI030/ 30000	BI0337 30002
	800	1600	BI630806006	BI635806002
	1000	1600	BI630816006	BI635816002
	1200	1600	BI630826006	BI635826002
	1400	1600	BI630836006	BI635836002
	1600	1600	BI630846006	BI635846002
	1800	1600	BI630856006	BI635856002
			DIO20020000	DI033030002





DUO & TWIN






TWIN

Work or play? Create a fun and interesting - yet functional - sitting or standing area in the library with the Inform curved desk. For accessories, see page 113.

H740 mm - 2 x 90° curved tables -	freestanding	- with panel (H305 mm) in the centre of	table top
Total length 3250 mm, total depth 1122	D	ltem no.	ltem no.
mm. For counter with predrilled holes for cable conduct see pages 120-121.	mm	Melamine	Veneer
	800	BI64044006	BI64544002



H1000 mm - 2 x 90° curved tables - freestanding - with panel (H305 mm) in the centre of table top

Total length 3250 mm, total depth 1122 mm. For counter with predrilled holes for cable conduct see pages 120-121.


mm	
800	

D

ltem no. Melamine Item no. Veneer

BI64046006

BI64546002



# **INFORM COUNTER**

Inform is a modular piece of furniture. Straight and curved elements can be used as freestanding counters or randomly combined. The special design of the table tops and side panels creates a continuous surrounding frame which unites the single elements into an expressive optical unit.

Inform's modular construction allows an individual adaptation to functional and design requirements, as well as to architectural conditions. You are able to reconstruct and add on as well as electrically adjust the counter to your ideal working height. Modules in the two heights; 740 and 1000 mm can be combined in may ways. The counter is also suitable for use with RFID systems.

#### CONSTRUCTION

The construction of the counter Inform is based on a left-to-right sequence (seen from the person's view sitting behind the counter). The counter has 15 mm adjustable feet.

#### **MOUNTING TOLERANCES**

All our components for the Inform counter are produced according to the norm DIN ISO 2768-1.


#### ASSEMBLY

No special fittings or tools are needed.


#### DIMENSIONS

For planning purposes, please note the below measurements. The listed measurements in the catalogue/price list are the effective measurements for the front panels only. It is necessary to add 40 mm with all the side/end panels, step counter middle panels and middle panels in connection with height adjustable counters.


#### STARTER-, MIDDLE- & END ELEMENT



#### **STEP COUNTER**



#### **HEIGHT ADJUSTABLE COUNTER**






# CONFIGURATION OPTIONS


### **RECTANGULAR COUNTERS**

W 600/800/1000/1200/1400/1600 mm (+40 mm per outer panel) H 740/1000 mm

D 800 mm




### RECTANGULAR AND CURVED COUNTERS WITH VARIOUS INTEGRATED CABINETS/COUNTERS





**CONFIGURATION NO. 1** 





### Rectangular counter (with info sign)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Info sign - acrylic frosted white glazed (W600 x H430 mm)	BI85512	-	1	-
Monitor arm	B401184	-	1	-

#### **Comments to configuration**

Monitor, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.


- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.

- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.

www.sbnl.be 2024 - Inform 20

**CONFIGURATION NO. 2** 





### $45^\circ\ curved\ counters$ (with counter top part with bag shelf)

Components	Article no.		Quantity	
45° curved counter - starter (H740 mm)	BI2051428003	-	1	-
45° curved counter - end (H740 mm)	BI2053428003	-	1	-
Wooden front panel for $45^{\circ}$ curved counter (H740 mm)	BI3204543	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Wooden counter top part with bag shelf (W1400 x H490 mm)	BI83545683	-	1	-

#### **Comments to configuration**

Computer, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.





1422 mm

### **RECTANGULAR COUNTER**

Inform's rectangular modules are available in two heights; 740 and 1000 mm. This model can be combined with other standard counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.

#### Rectangular counter - starter

Remember to order front panel, see page 23 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.

X VV X	D
mm	
640	800
840	800
1040	800
1240	800
1440	800
1640	800
640	800
840	800
1040	800
1240	800
1440	800
1640	800
	640 840 1040 1240 1440 1640 640 840 1040 1240 1440

1

1

1

1

#### BI2001016003 BI2001018003 BI2001020003 BI2001022003 BI2001024003 BI2001026003


Item no.

HPL

BI2001036003 BI2001038003 BI2001040003 BI2001042003 BI2001044003 BI2001046003

#### Rectangular counter - middle

Remember to order front panel, see page 23 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.




#### Item no. HPL

BI2002060003 BI2002080003 BI2002081003 BI2002082003 BI2002084003 BI2002086003

### Rectangular counter - end

Remember to order front panel, see page 23 and leg frame/middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.



Н	х	W	х	D	
		mm			
740		640		800	
740		840		800	
740		1040		800	
740		1240		800	
740		1440		800	
740		1640		800	
1000		640		800	
1000		840		800	
1000		1040		800	
1000		1240		800	
1000		1440		800	
1000		1640		800	

	em no. IPL
В	12003016003
В	12003018003
В	12003020003
В	12003022003
В	12003024003
В	12003026003
_	
В	12003036003
В	12003038003
В	12003040003
В	12003042003
В	12003044003
В	12003046003



### FREESTANDING RECTANGULAR COUNTER AND FRONT PANELS

A freestanding rectangular counter is an ideal solution for small rooms and is available in two heights; 740 and 1000 mm. Remember to order front panels.

Remember to order front panel. For	Н×	(W x	D	ltem no.
counter with predrilled holes for cable conduct see pages 120-121.		mm		HPL
1 0	740	680	800	BI2004016003
	740	880	800	BI2004018003
	740	1080	800	BI2004020003
$\sim$	740	1280	800	BI2004022003
	740	1480	800	BI2004024003
	740	1680	800	BI2004026003
	1000	680	800	BI2004036003
	1000	880	800	BI2004038003
	1000	1080	800	BI2004040003
	1000	1280	800	BI2004042003
	1000	1480	800	BI2004044003
	1000	1680	800	BI2004046003

#### Wooden front panel for rectangular counter

H x W	ltem no.	ltem no.
mm	Melamine	Veneer
740 600	BI300146	BI300142
740 800	BI300346	BI300342
740 1000	BI300446	BI300442
740 1200	BI300546	BI300542
740 1400	BI300646	BI300642
740 1600	BI300746	BI300742
1000 600	BI300166	BI300162
1000 800	BI300366	BI300362
1000 1000	BI300466	BI300462
1000 1200	BI300566	BI300562
1000 1400	BI300666	BI300662
1000 1600	BI300766	BI300762


#### Acrylic front panel for rectangular counter

Melamine coated wooden frame.	H x W	ltem no.
	mm	Acrylic & melamine
	740 600 740 800 740 1000	BI310146 BI310346 BI310446
	740 1200 740 1400 740 1600	BI310546 BI310646 BI310746
	1000       600         1000       800         1000       1000         1000       1200         1000       1400         1000       1600	BI310166 BI310366 BI310466 BI310566 BI310666 BI310766



### 45° CURVED COUNTERS

Inform's 45° curved modules are available in two heights; 740 and 1000 mm. This model can be combined with other standard counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.






### FREESTANDING 45° CURVED COUNTERS AND FRONT PANELS

A freestanding 45° curved counter is an ideal solution for small rooms and is available in two heights; 740 and 1000 mm. Remember to order front panels.

45° curved counter - freestanding				
Remember to order front panel. For counter with predrilled holes for cable conduct see pages 120-121.	H x W x D mm			ltem no. HPL
	740	1870	800	BI2054428003
R 2350 mm	1000	1870	800	BI2054448003

#### Wooden front panel for 45° curved counter



ltem no. HPL
BI3204543
BI3204563


### Acrylic front panel for 45° curved counter

Melaminecoated wooden frame.	H x W mm	ltem no. Acrylic & melamine
	740 1760	BI3304546
	1000 1760	BI3304566



### 90° CURVED COUNTERS

Inform's 90° curved modules are available in two heights; 740 and 1000 mm. This model can be combined with other standard counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.



BI2053948003


SCHUIZ

1000 1870


800

### FREESTANDING 90° CURVED COUNTERS AND FRONT PANELS

A freestanding 90° curved counter is an ideal solution for small rooms and is available in two heights; 740 and 1000 mm. Remember to order front panels.



Wooden front panel for 90° curved counter



ltem no. HPL
BI3209043
BI3209063

#### Acrylic front panel for 90° curved counter





### **RECTANGULAR COUNTERS - FOR CONNECTING TO RECESSED COUNTER**

Inform's rectangular modules are available in two heights; 740 and 1000 mm. This model can be combined with recessed counters of the same height as the standard counter by connecting with a middle panel (as the counter top is 40 mm wider than the standard rectangular counter).

emember to order front panel, see	H x W x D	ltem no.
age 29 and middle panel, see page 4. For counter with predrilled holes for	mm	HPL
able conduct see pages 120-121.	740 680 800	BI2021016003
	740 880 800	BI2021018003
	740 1080 800	BI2021020003
	740 1280 800	BI2021022003
	740 1480 800	BI2021024003
	740 1680 800	BI2021026003
	1000 680 800	BI2021036003
	1000 880 800	BI2021038003
	1000 1080 800	BI2021040003
	1000 1280 800	BI2021042003
	1000 1480 800	BI2021042003
	1000 1680 800	BI2021046003

#### Rectangular counter - middle - connected with middle panel

Remember to order front panel, see page 29 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.

mm			
640	800		
840	800		
1040	800		
1240	800		
1440	800		
1640	800		

W x D

#### ltem no. HPL

BI2022060003
BI2022080003
BI2022081003
BI2022082003
BI2022084003
BI2022086003



Remember to order front panel, see	H x W	x D	ltem no. HPL
page 29 and middle panel, see page 34. For counter with predrilled holes for	mm		1 IFL
cable conduct see pages 120-121.	740 680	800	BI2023016003
	740 880		BI2023018003
	740 1080	800	BI2023020003
	740 1280	0 800	BI2023022003
$\frown$	740 1480	) 800	BI2023024003
	740 1680	0 800	BI2023026003
	1000 (00	200	
	1000 680		BI2023036003
	1000 880		BI2023038003
	1000 1080	0 800	BI2023040003
1	1000 1280	) 800	BI2023042003
	1000 1480	0 800	BI2023044003
	1000 1680	0 800	BI2023046003

### **RECTANGULAR FRONT PANELS**

Remember to order front panels.

Wooden front panel for rectan	gular counter			
	H x W mm	ltem no. Melamine	l <del>t</del> em no. Veneer	
	740       600         740       800         740       1000         740       1200         740       1400         740       1600         1000       600         1000       800         1000       1000         1000       1000         1000       1000         1000       1600         1000       1600	BI300146 BI300346 BI300446 BI300546 BI300546 BI300746 BI300166 BI300366 BI300466 BI300566 BI300666 BI300766	BI300142 BI300342 BI300442 BI300542 BI300642 BI300742 BI300162 BI300362 BI300462 BI300562 BI300662 BI300762	

### Acrylic front panel for rectangular counter

Melaminecoated wooden frame.	H x W mm	ltem no. Acrylic & Melamine
	740       600         740       800         740       1000         740       1200         740       1400         740       1600         1000       600         1000       800         1000       1000         1000       1200         1000       1200         1000       1400         1000       1600	BI310146 BI310346 BI310446 BI310546 BI310646 BI310746 BI310366 BI310466 BI310566 BI310666 BI310666



### 45° CURVED COUNTERS - FOR CONNECTING TO RECESSED COUNTER

Inform's<sup>°</sup> curved modules are available in two heights; 740 and 1000 mm. This model can be combined with recessed counters of the same height as the standard counter by connecting with a middle panel (as the counter top is 40 mm wider than the standard 45<sup>°</sup> curved counter).

45° curved counter - starter - conn	H x W x D	ltem no.
Remember to order front panel, see page 31 and middle panel, see page 34. For counter with predrilled holes for	mm	Item no. HPL
cable conduct see pages 120-121.	740 - 800	BI2061428003
	1000 - 800	BI2061448003
45° curved counter - end - for mid	dle panel	
Remember to order front panel, see page 31 and middle panel, see page	dle panel H × W × D mm	ltem no. HPL
Remember to order front panel, see page 31 and middle panel, see page 34. For counter with predrilled holes for	H x W x D	
45° curved counter - end - for mid Remember to order front panel, see page 31 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.	H x W x D mm	HPL



### 45° CURVED FRONT PANELS

Remember to order front panels.

BI3204543
BI3204563

Melaminecoated wooden frame.	H x W mm	ltem no. Acrylic & melamine
	740 1760	BI3304546
	1000 1760	BI3304566





### 90° CURVED COUNTERS - FOR CONNECTING TO RECESSED COUNTER


Inform's 90° curved modules are available in two heights; 740 and 1000 mm. This model can be combined with recessed counters of the same height as the standard counter by connecting with a middle panel (as the counter top is 40 mm wider than the standard 90° curved counter).


90° curved counter - starter - conr	ected with middle panel	
Remember to order front panel, see page 33 and middle panel, see page 34. For counter with predrilled holes for	H x W x D mm	ltem no. HPL
cable conduct see pages 120-121.	740 - 800	BI2061928003
	1000 - 800	BI2061948003
90° curved counter - end - connect Remember to order front panel, see page 33 and middle panel, see page 34. For counter with predrilled holes for cable conduct see pages 120-121.	ted with middle panel H x W x D mm 740 - 800	ltem no. HPL BI2063928003
	1000 - 800	BI2063948003



### 90° CURVED FRONT PANELS

Remember to order front panels.









### CONNECTIONS

If you wish to combine a rectangular/cuved counter with a rectangular/cuved counter of the same height, you must use a steel leg frame.

If you wish to combine a rectangular/curved counter with recessed rectangular/curved or step counter, you must use a middle panel.


Steel leg frame			
Must be used when assembling 2 modules of the same height.	Finish	H mm	ltem no. Melamine/veneer
afi	Melamine	740	BI069146
		1000	BI069166
	Veneer	740	BI069142
		1000	BI069162
Middle panel for standard a	nd recessed counter		
	Side of panel	H mm	ltem no. HPL
	Left : Recessed counter Right: Standard counter	740	BI3704103
	Left: Standard counter Right: Recessed counter	740	BI3704113

Side of panel	H mm	ltem no. HPL
Left: Step counter Right: Standard counter (H740mm)	1000	BI3706123
Left: Standard counter (H740mm) Right: Step counter	1000	BI3706133




CONFIGURATIONS

Remember always to construct your counter from left to right when sitting behind the counter.



Standard rectangular counter with 3 standard fronts and 1 recessed front

Standard rectangular and step counters





# **RECESSED COUNTER**

### **CONFIGURATION NO. 3**



### Recessed rectangular counter

Components	Article no.		Quantity	
Recessed rectangular counter - starter (W1240 x H740 mm)	BI2101022003		1	-
Recessed rectangular counter - end (W1240 x H740 mm)	BI2103022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Steel leg frame for recessed counter (H740 mm)	BI069546	-	1	-
Total price for configuration				-

#### **Comments to configuration**

Monitor, office chair and text are not included in price.
All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.


- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.



www.sbnl.be 2024 - Inform 36

#### **CONFIGURATION NO. 4**





#### Recessed 45° curved counter

Components	Article no.		Quantity	
45° recessed curved counter - starter (H740 mm)	BI2151429003	-	1	-
45° recessed curved counter - end (H740 mm)	BI2153429003	-	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	-	2	-
Steel leg frame for recessed counter (H740 mm)	BI069546	-	1	-
Total price for configuration				-

#### **Comments to configuration**

Computer, office chair, display and text are not included in price.
All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.



#### **RECTANGULAR COUNTERS**

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with other recessed counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.


Remember to order front panel, see	H >	(W x	D	ltem no.
page 39 and leg frame/middle panel, see page 50. For counter with predrilled		mm		HPL
noles for cable conduct see pages 120-	740	640	800	BI2101016003
121.	740	840	800	BI2101018003
	740	1040	800	BI2101020003
	740	1240	800	BI2101022003
	740	1440	800	BI2101024003
	740	1640	800	BI2101026003
	1000	640	800	BI2101036003
	1000	840	800	BI2101038003
~	1000	1040	800	BI2101040003
	1000	1240	800	BI2101042003
	1000	1440	800	BI2101042003
-	1000	1640	800	BI2101046003

#### Recessed rectangular counter - middle

	W x	D	1
Remember to order front panel, see	W x	D	ltem no.
page 39 and leg frame/middle panel,	mm	1	HPL
see page 50. For counter with predrilled			
holes for cable conduct see pages 120-	600	800	BI2102060003
121.	800	800	BI2102080003
	1000	800	BI2102081003
$\sim$	1200	800	BI2102082003
	1400	800	BI2102084003
	1600	800	BI2102086003

#### Recessed rectangular counter - end

Remember to order front panel, see page 39 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.



Η >	w W x	D
740	640	800
740	840	800
740	1040	800
740	1240	800
740	1440	800
740	1640	800
1000	640	800
1000	840	800
1000	1040	800
1000	1240	800
1000	1440	800
1000	1640	800

ltem no. HPL	
BI2103016003	
BI2103018003	
BI2103020003	
BI2103022003	
BI2103024003	
BI2103026003	
BI2103036003	
BI2103038003	
BI2103040003	
BI2103042003	
BI2103044003	
BI2103046003	



#### FREESTANDING RECTANGULAR COUNTERS AND FRONT PANELS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. Remember to order front panel.

emember to order front panel. For	Нх	(W x	D	ltem no.
ounter with predrilled holes for cable onduct see pages 120-121.		mm		HPL
	740	680	800	BI2104016003
	740	880	800	BI2104018003
$\frown$	740	1080	800	BI2104020003
	740	1280	800	BI2104022003
	740	1480	800	BI2104024003
	740	1680	800	BI2104026003
	1000	680	800	BI2104036003
	1000	880	800	BI2104038003
	1000	1080	800	BI2104040003
	1000	1280	800	BI2104042003
	1000	1480	800	BI2104044003
	1000	1680	800	BI2104046003

#### Wooden front panel for recessed rectangular counter

H x W	ltem no.	ltem no.
mm	Melamine	Veneer
740 600	BI300146	BI300142
740 800	BI300346	BI300342
740 1000	BI300446	BI300442
740 1200	BI300546	BI300542
740 1400	BI300646	BI300642
740 1600	BI300746	BI300742
1000 600	BI300166	BI300162
1000 800	BI300366	BI300362
1000 1000	BI300466	BI300462
1000 1200	BI300566	BI300562
1000 1400	BI300666	BI300662
1000 1600	BI300766	BI300762

#### Acrylic front panel for recessed rectangular counter

Melaminecoated wooden frame.	H x W mm	ltem no. Acrylic & melamine
	740       600         740       800         740       1000         740       1200         740       1400         740       1600         1000       600         1000       800         1000       1000         1000       1200         1000       1400         1000       1400         1000       1600	BI310146 BI310346 BI310446 BI310546 BI310646 BI310746 BI310366 BI310366 BI310466 BI310566 BI310666 BI310766



#### 45° CURVED COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with other recessed counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.

45° recessed curved counter - star	ter	
Remember to order front panel, see page 41 and leg frame/middle panel,see page 50. For counter with	H x W x D mm	ltem no. HPL
predrilled holes for cable conduct see pages 120-121.	740 2030 800	BI2151429003
	1000 2030 800	BI2151449003
R 2600 mm		

#### 45° recessed curved counter - middle

Remember to order front panel, see page 41 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.



W x D mm

ltem no. HPL

BI2152489003

45° recessed curved counter	- end
-----------------------------	-------

Remember to order front panel, see page 41 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.



Η >	∝ W x mm	D
740	2030	800
1000	2030	800

ltem no. HPL

BI2153429003

BI2153449003




#### FREESTANDING 45° CURVED COUNTERS AND FRONT PANELS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. Remember to order front panel.

45° recessed curved counter - free	estanding	
Remember to order front panel. For counter with predrilled holes for cable conduct see pages 120-121.	H x W x D mm	ltem no. HPL
	740 2070 800	BI2154429003
R 2600 mm	1000 2070 800	BI2154449003

#### Wooden front panel for 45° recessed curved counter



ltem no. HPL
BI3204543
BI3204563

Acrylic front panel for 45° rece Melaminecoated wooden frame.	H x W	Item no.
	mm	Acrylic & melamine
	740 1760	BI3304546
	1000 1760	BI3304566



#### 90° CURVED COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with other recessed counters of the same height, step counters, height adjustable counters (only with H1000 mm standard counter), info counters, corner counters as well as display cabinets.

90° recessed curved counter - starte	er	
Remember to order front panel, see page 43 and leg frame/middle panel, see page 50. For counter with predrilled	H x W x D mm	ltem no. HPL
holes for cable conduct see pages 120- 121.	740 2220 800	BI2151929003
	1000 2220 800	BI2151949003
R 1550 mm		

#### 90° recessed curved counter - middle

Remember to order front panel, see page 43 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121. W x D mm 1800 800


ltem no. HPL

BI2152989003



#### 90° recessed curved counter - end

Remember to order front panel, see page 43 and leg frame/middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.



Н	х	W mm	x	D	
740	2	2220	)	800	
1000	2	2220	)	800	

ltem no. HPL

BI2153929003

BI2153949003




#### FREESTANDING 90° CURVED COUNTERS AND FRONT PANELS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. Remember to order front panel.

90° recessed curved counter - free	estanding		
Remember to order front panel. For counter with predrilled holes for cable conduct see pages 120-121.	H x W x D mm		ltem no. HPL
conduct see pages 120-121.	740 2250	800	BI2154929003
R 1550 mm	1000 2250	800	BI2154949003

#### Wooden front panel for 90° recessed curved counter



ltem no. HPL
BI3209043
BI3209063

# Acrylic front panel for 90° recessed curved counter Melaminecoated wooden frame. H × W mm Acrylic & melamine 740 1768 BI3309046 1000 1768 BI3309066



#### **RECTANGULAR COUNTERS - FOR CONNECTING TO STANDARD COUNTERS**

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with standard counters of the same height by connecting with a middle panel (as the counter top is 40 mm wider than the recessed rectangular counter).

Recessed rectangular counter - sta	rter - connecte	ed with middle panel	
Remember to order front panel, see page 45 and middle panel, see page 50. For counter with predrilled holes for	H x W mm	x D	ltem no. HPL
cable conduct see pages 120-121.	740 680	800	BI2121016003
	740 880	800	BI2121018003
	740 1080	800	BI2121020003
	740 1280	800	BI2121022003
	740 1480	800	BI2121024003
$\langle \rangle$	740 1680	800	BI2121026003
	1000 680	800	BI2121036003
	1000 880	800	BI2121038003
	1000 1080	800	BI2121040003
-+-	1000 1280	800	BI2121042003
	1000 1480	800	BI2121044003
	1000 1680	800	BI2121046003

#### Recessed rectangular counter - middle - connected with middle panel

Remember to order front panel, see page 45 and middle panel, see page 50. For counter with predrilled holes for	W x D mm	ltem no. HPL
cable conduct see pages 120-121.	6408008408001040800124080014408001640800	BI2122060003 BI2122080003 BI2122081003 BI2122082003 BI2122084003 BI2122086003

#### Recessed rectangular counter - end - connected with middle panel

0			•
Remember to order front panel, see	НхW	хD	ltem no.
page 45 and middle panel, see page	mm		HPL
50. For counter with predrilled holes for			
cable conduct see pages 120-121.	740 680	008 (	BI2123016003
1.3	740 880	) 800	BI2123018003
	740 108	0 800	BI2123020003
	740 128	0 800	BI2123022003
	740 148		BI2123022003
	740 168		
	740 100	0 000	BI2123026003
	1000 680	800	NI010000 (000
			BI2123036003
	1000 880		BI2123038003
	1000 108	0 800	BI2123040003
	1000 128	0 800	BI2123042003
	1000 148	0 800	BI2123044003
$\supset$	1000 168	0 800	BI2123046003
			DI2123040003

#### **RECTANGULAR FRONT PANELS**

Remember to order front panel.

H x W	ltem no.	ltem no.
mm	Melamine	Veneer
740 600	BI300146	BI300142
740 800	BI300346	BI300342
740 1000	BI300446	BI300442
740 1200	BI300546	BI300542
740 1400	BI300646	BI300642
740 1600	BI300746	BI300742
1000 600	BI300166	BI300162
1000 800	BI300366	BI300362
1000 1000	BI300466	BI300462
1000 1200	BI300566	BI300562
1000 1400	BI300666	BI300662
1000 1600	BI300766	BI300762

#### Acrylic front panel for recessed rectangular counter

Melaminecoated wooden frame.	H x W	ltem no.
	mm	Acrylic & melamine
	740 600	BI310146
	740 800	BI310346
	740 1000	BI310446
	740 1200	BI310546
	740 1400	BI310646
	740 1600	BI310746
	1000 600	BI310166
	1000 800	BI310366
	1000 1000	BI310466
the second s	1000 1200	BI310566
	1000 1400	BI310666
	1000 1600	BI310766



#### 45° CURVED COUNTERS - FOR CONNECTING TO STANDARD COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with standard counters of the same height by connecting with a middle panel (as the counter top is 40 mm wider than the recessed 45° curved counter).

45° recessed curved counter - star	ter - connected with middle panel	
Remember to order front panel, see page 47 and middle panel, see page 50. For counter with predrilled holes for	H x W x D mm	ltem no. HPL
cable conduct see pages 120-121.	740 2030 800	BI2161429003
0	1000 2030 800	BI2161449003
45° recessed curved counter - end	-	
Remember to order front panel, see page 47 and middle panel, see page 50. For counter with predrilled holes for	H x W x D mm	ltem no. HPL
cable conduct see pages 120-121.	740 2030 800	BI2163429003
	1000 2030 800	BI2163449003



#### 45° CURVED FRONT PANELS

Remember to order front panel.

H x W mm	ltem no. HPL
 740 1760	BI3204543
1000 1760	BI3204563
· ·	

Melaminecoated wooden frame.	H x W mm	ltem no. Acrylic & melamine	
	740 1760	BI3304546	
	1000 1760	BI3304566	



#### 90° CURVED COUNTERS - FOR CONNECTING TO STANDARD COUNTERS

The design of Inform's recessed front panel allows for easy access on both sides of the counter and is especially suited for wheelchair use, as the front panel is placed 300 mm from the front. It is available in two heights; 740 and 1000 mm. This model can be combined with standard counters of the same height by connecting with a middle panel (as the counter top is 40 mm wider than the recessed 90° curved counter).

20° recessed curved counter - start	er - connected with middle panel	
emember to order front panel, see page 49 and middle panel, see page 0. For counter with predrilled holes for	H x W x D mm	ltem no. HPL
able conduct see pages 120-121.	740 2220 800	BI2161929003
	1000 2220 800	BI2161949003

70 Tecessed curved couller - end	- connected with middle puller	
Remember to order front panel, see page 49 and middle panel, see page 50. For counter with predrilled holes for cable conduct see pages 120-121.	H x W x D mm	ltem no. HPL
	740 2220 800	BI2163929003
	1000 2220 800	BI2163949003



#### 90° CURVED FRONT PANELS

Remember to order front panel.

# Wooden front panel for 90° recessed curved counter H × W mm HPL BI3209043 BI3209063 BI3209063

Acrylic front panel for 90° rece Melaminecoated wooden frame.	H x W	ltem no. Acrylic & melamine
	740 1768	BI3309046
	1000 1768	BI3309066



#### CONNECTIONS


If you wish to combine a recessed rectangular/curved counter with a recessed rectangular/curved counter of the same height, you must use a steel leg frame.

If you wish to combine a recessed rectangular/curved counter with standard rectangular/curved or step counter, you must use a middle panel.


must use a midale panel.			
Steel leg frame for recessed co			
Must be used when assembling 2 recessed modules of the same height.	Finish	H mm	ltem no. Melamine/veneer
<b></b>	Melamine	740	BI069546
		1000	BI069566
	Veneer	740	BI069542
		1000	BI069562
Middle panel for recessed and	l standard counters		
	Side of panel	H mm	ltem no. HPL
	Left : Recessed counter Right: Standard counter	740	BI3704103
	Left: Standard counter Right: Recessed counter	740	BI3704113
Middle panel for recessed and	l step counter		
	Side of panel	H mm	ltem no. HPL
	Left: Step counter Right: Recessed counter	1000	BI3706143
	Left: Recessed counter Right: Step counter	1000	BI3706153
Middle panel for height adjust			
	Side of panel	H mm	ltem no. HPL
	Left: Height adjustable counter Right: Recessed counter	740	BI3704163
	Left: Recessed counter Right: Height adjustable counter	740	BI3704173

#### CONFIGURATIONS


If you wish to combine a recessed counter with standard rectangular/curved, height adjustable or step counter, you must use one of the panels on page 50. Remember always to construct your counter from left to right when sitting behind the counter.




#### Recessed and step counters



Recessed rectangular and height adjustable counter







**CONFIGURATION NO. 5** 





2520 mm

#### Rectangular & step counters (with counter shelf and bag shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Counter shelf and front for rectangular counter - starter (W1240 mm)	BI4101056	-	1	-
Middle panel for step and standard counter (H1000 mm)	BI3706133	-	1	-
Rectangular counter - end (W1240 x H1000 mm)	BI2003042003	-	1	-
Wooden front panel for rectangular counter (W1200 x H1000 mm)	BI300566	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-
Total price for configuration				-

#### **Comments to configuration**

- Monitor, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.


- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.



www.sbnl.be 2024 - Inform 52

**CONFIGURATION NO. 6** 





Rectangular & step counters with presentation cabinet (with bag shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Middle panel for step and standard counter (H1000 mm)	BI3706133	-	1	-
Rectangular counter - middle (W1200 x H1000 mm)	BI2002082003	-	1	-
Wooden front panel for rectangular counter (W1200 x H1000 mm)	BI300566	-	1	-
Display cabinet with 2 shelves & shelving options (W1008 x H1130 mm)	BI525127006	-	1	-
Steel intermediate shelf with backedge (W1000 x D300 mm)	B401803131	-	4	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-
Total price for configuration				-

#### **Comments to configuration**

- Monitor, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.
- Shelves are not included in presentation cabinet. For full overview of shelving options for presentation cabinet, see page 101.



#### COUNTER TOPS

Vary the height of the Inform counter by adding a simple module - a step counter top. The counter top can be used for the two heights; 740 and 1000 mm. To combine with standard and recessed counters, see page 57.

Step counter top			
Remember to order middle panels. For counter with predrilled holes for cable conduct see pages 120-121.	H x W mm	x D	ltem no. HPL
	7406007408007401000740120074014007401600	800 800 800 800 800 800	B12002060003 B12002080003 B12002081003 B12002082003 B12002084003 B12002086003

Steel leg frame			
Must be used when assembling 2 mod- ules of the same height.	H mm	ltem no. Melamine	ltem no. Veneer
	1000	BI069166	BI069162





#### FRONT PANELS

Vary the height of the Inform counter by adding a simple module - a step counter top. The counter top can be used for the two heights; 740 and 1000 mm. To combine with standard and recessed counters, see page 57.

Wooden front panel for step co	unter			
	H x W mm	ltem no. Melamine	ltem no. Veneer	
	740       600         740       800         740       1000         740       1200         740       1400         740       1600         1000       600         1000       800         1000       1000	BI300146 BI300346 BI300446 BI300546 BI300646 BI300746 BI300166 BI300366 BI300366 BI300466	BI300142 BI300342 BI300442 BI300542 BI300642 BI300742 BI300162 BI300362 BI300462	
	1000 1200 1000 1400 1000 1600	BI300566 BI300666 BI300766	BI300562 BI300662 BI300762	

Acrylic front panel for step cou	nter	
Aelaminecoated wooden frame.	H x W	ltem no.
	mm	Acrylic & melamine
	74 600	BI310146
	740 800	BI310346
	740 1000	BI310446
	740 1200	BI310546
	740 1400	BI310646
	740 1600	BI310746
	1000 600	BI310166
	1000 800	BI310366
	1000 1000	BI310466
	1000 1200	BI310566
	1000 1400	BI310666
	1000 1600	BI310766



#### MIDDLE PANELS

It is necessary to order side and middle panels for the step counter, depending on the construction of your complete counter. See overview of panels below. Remember always to construct your counter from left to right when sitting behind the counter!

Middle panel for step and sta	andard counter			
	Side of panel	H mm	ltem no. HPL	
	Left: Step counter Right: Standard counter (H740mm)	1000	BI3706123	
	Left: Standard counter (H740mm) Right: Step counter	1000	BI3706133	

Middle	panel	for s	step	and	recessed	counter

	Ø: 
· · · · · · · · · · · · · · · · · · ·	0.


Side of panel	H mm	ltem no. HPL
Left: Step counter Right: Recessed counter	1000	BI3706143
Left: Recessed counter Right: Step counter	1000	BI3706153




#### CONFIGURATIONS

The counter can be installed using either the middle panel or leg frame, depending on whether the counter is placed next to another standard counter or display cabinet. See overview of middle panels on page 56. Remember always to construct your counter from left to right when sitting behind the counter!

#### Standard and step counter



Step, recessed and height adjustable counter





**CONFIGURATION NO. 11** 



#### Rectangular & square corner counters (with bag shelves)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003		1	-
Rectangular counter - middle (W1200 x H740 mm)	BI2002082003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Square corner counter top (H740 mm)	BI26530003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	3	-
Wooden front panel for square corner counter (H740 mm)	BI340346	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	2	-
Steel leg frame (H740 mm)	BI069146	-	3	-
Monitor arm	B401184	-	1	-
Total price for configuration				-

3240 mm

#### **Comments to configuration**

- Monitor, key board, office chairs and text are not included in price.
  All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.

www.sbnl.be 2024 - Inform 58

3240 mm

#### **CONFIGURATION NO. 12**



#### Rectangular & triangular corner counters (with bag shelves)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - middle (W1200 x H740 mm)	BI2002082003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	3	-
Triangular corner counter top (H740 mm)	BI26833003	-	1	-
Wooden front panel for triangular corner counter (H740 mm)	BI345346	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	2	-
Steel leg frame (H740 mm)	BI069146	-	3	-
Total price for configuration				-

#### **Comments to configuration**

- Monitor, office chair and text are not included in price.
  All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
  We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.




#### SQUARE CORNER COUNTER TOPS, FRONT PANELS AND LEG FRAME

The corner counter is ideal for combining with the rectangular counter and the info table. The corner counter creates a sharp angle with no optical interruptions, maintaining the design of a continuous frame.





Wooden front panel for square corner counter



Нx	W x mm	D	ltem no. Melamine
740	800	800	BI340346
1000	800	800	BI340366

ltem no. Veneer
BI340342

BI340362


Steel leg frame

oloci log ilalilo				
Must be used when assembling 2 modules of the same height.	H mm	ltem no. Melamine	ltem no. Veneer	
	740	BI069146	BI069142	
	1000	BI069166	BI069162	




#### TRIANGULAR CORNER COUNTER TOPS, FRONT PANELS AND LEG FRAME

The triangular corner counter can be used for combining many of the other Inform counters. Create an open, informal look with the triangular corner counter and make a contrast to the linear lines usually found in a library.



Wooden front panel for triangular corner counter Remember to order leg frame. H x W x



 H
 x
 W
 x
 D
 Item no.

 740
 800
 800
 BI345346

 1000
 800
 800
 BI345366

ltem no. Veneer BI345342 BI345362

#### Steel leg frame

Must be used when assembling 2 mod- ules of the same height.	H mm	ltem no. Melamine	ltem no. Veneer
	740	BI069146	BI069142
	1000	BI069166	BI069162



**CONFIGURATION NO. 13** 





#### $45^{\circ}$ & 90° curved counters & info table with foot

Components	Article no.		Quantity	
45° curved counter - starter (H740 mm)	BI2051428003		1	-
45° curved counter - middle (H740 mm)	BI2052488003	-	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	-	2	-
90° curved counter - middle (H740 mm)	BI2052988003	-	1	-
Wooden front panel for 90° curved counter (H740 mm)	BI3209043	-	1	-
Info table - end (W800 x H740 mm)	BI27030343	-	1	-
Wooden side panel for info table (H740 mm)	BI38546	-	1	-
Steel leg frame (H740 mm)	BI069146	-	3	-
Monitor arm	B401184	-	1	-
Total price for configuration				-

#### **Comments to configuration**


- Monitor, key board, office chair, chairs and text are not included in price.
  All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113. It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole,

see pages 120-121.



www.sbnl.be 2024 - Inform 62

#### CONFIGURATION NO. 14



#### Height adjustable counter, corner counter & info table with panel

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303		1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Wooden front panel for height adjustable counter (W1200 x H740 mm)	BI350546	-	2	-
Square corner counter top for height adjustable counter on left side	BI26520003	-	1	-
Middle panel for height adjustable and standard counter (H740 mm)	BI3704193	-	1	-
Wooden front panel for square corner counter (H740 mm)	BI340346	-	1	-
Wooden side panel for info table (H740 mm)	BI38546	-	1	-
Steel leg frame for info table (H740 mm)	BI069146	-	1	-
Info table - end (H740 x W1240 mm)	BI28030543	-	1	-
Total price for configuration				-


#### **Comments to configuration**

- Monitor, chair and text are not included in price.
- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.



#### COUNTER TOPS WITH FOOT, SIDE PANEL AND LEG FRAME

As an adviser, you need to portray openness and show communicative skills. This also applies for the furniture. Our info table enlarges your work area with a short table element. It provides you with an open and informal space for small discussions.






XHUIZ


#### COUNTER TOPS WITH PANEL, FRONT PANELS AND LEG FRAME

As an adviser, you need to portray openness and show communicative skills. This also applies for the furniture. Our info table enlarges your work area with a short table element. It provides you with an open and informal space for small discussions.





#### CONFIGURATION NO. 7



#### Rectangular height adjustable counters

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303		1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Wooden front panel for height adjustable counter (W1200 x H740 mm)	BI350546	-	2	-
Right side panel for height adjustable counter (H740 mm)	BI3804313	-	1	-

#### **Comments to configuration**

- Monitor and text are not included in price.

- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.



www.sbnl.be 2024 - Inform 66

#### CONFIGURATION NO. 8



#### Rectangular height adjustable counters (with acrylic front)

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Acrylic front panel for height adjustable counter (W1200 x H740 mm)	BI360543	-	2	-
Right side panel for height adjustable counter (H740 mm)	BI3804313	-	1	-

#### **Comments to configuration**

- Text is not included in price.


- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.



- 800 mm

#### **CONFIGURATION NO. 9**



#### Rectangular height adjustable, corner and rectangular counters (with bag shelf)

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Wooden front panel for height adjustable counter (W1200 x H740 mm)	BI350546	-	2	-
Square corner counter top for height adjustable counter on left side	BI26520003	-	1	-
Middle panel for height adjustable and standard counter (H740 mm)	BI3704193	-	1	-
Wooden front panel for square corner counter (H740 mm)	BI340346	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-


#### **Comments to configuration**

- Monitor, office chairs and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.

www.sbnl.be 2024 - Inform 68

CONFIGURATION NO. 10





#### Rectangular height adjustable and rectangular counters (with bag shelves)

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Wooden front panel for height adjustable counter (W1200 x H740 mm)	BI350546	-	2	-
Middle panel for height adjustable and standard counter (H740 mm)	BI3704193	-	1	-
Rectangular counter for height adj. counter - end (W1240 x H740 mm)	BI2305022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	2	-

#### **Comments to configuration**

- Monitor, display and text are not included in price.
  All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
  We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelves are in fact 1000 mm long, adapted to 1200 mm front panels.



#### **RECTANGULAR COUNTERS**

The height adjustable counter is a double construction with a moveable upper part and a fixed lower part. The moveable part of the counter slides along the walls of the fixed parts excluding possible safety risks such as entrapment and bruising. With the electrical driven height adjustable counter, you can adjust your working height ranging between 680 mm and 1180 mm. To constuct a complete counter including a height adjustable counter, you must use the products shown on pages 72-81.

Available in 3 versions:	H x W x	D Item no.	ltem no.
1) for European market, 2) for US market 110V	mm	Melamine	Veneer
3) for UK market.	(1) 680-1180 1000	700 BI24014006	BI25014002
	680-1180 1200	700 BI24015006	BI25015002
Side, front and middle panels to	680-1180 1400	700 BI24016006	BI25016002
be ordered separately. For counter with predrilled holes for cable	680-1180 1600	700 BI24017006	BI25017002
onduct see pages 120-121.	(2) 680-1180 1000	700 BI24024006	BI25024002
1 0	680-1180 1200	700 BI24025006	BI25025002
	680-1180 1400	700 BI24026006	BI25026002
	680-1180 1600	700 BI24027006	BI25027002
	(3) 680-1180 1000	700 BI24034006	BI25034002
	680-1180 1200	700 BI24035006	BI25035002
	680-1180 1400	700 BI24036006	BI25036002
	680-1180 1600	700 BI24037006	BI25037002

#### Wooden front panel for height adjustable counter

H x W	ltem no.	ltem no.
mm	Melamine	Veneer
7401000740120074014007401600	B1350446 B1350546 B1350646 B1350746	

HPL wooden frame.	H x W mm	ltem no. Acrylic & HPL
	740 1000 740 1200 740 1400 740 1600	BI360443 BI360543 BI360643 BI360743

SCHULZ

FRONT AND SIDE PANELS

Remember to order front and side panels for your height adjustable counter.

mm	ltem no. HPL
740	BI3804303
740	BI3804313
	740



#### H740 MM RECTANGULAR COUNTERS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a rectangular H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a rectangular H1000 mm counter, see page 22. See overview on page 82 to find the correct middle panel for your construction.

#### H740 mm rectangular counter for right sided height adjustable counter - starter

5	0		•	•
Left side: Starter	Н ;	x W x	D	ltem no.
Right side: Height adjustable		mm		HPL
Use with middle panel BI3704193,				
see page 82. Remember to order front	740	640	800	BI2301016003
panel, see next page. For counters with	740	840	800	BI2301018003
predrilled holes for cable conduct, see	740	1040	800	BI2301020003
pages 120-121.	740	1240	800	BI2301022003
	740	1440	800	BI2301024003
	740	1640	800	BI2301026003



#### H740 mm rectangular counter for right sided height adjustable counter - middle

8	8 8 I	
Left side: Rectangular/curved/corner	H x W x D	ltem no.
Right side: Height adjustable	mm	HPL
Use with middle panel BI3704193,		
see page 82. Remember to order front	740 640 800	BI2302060003
panel, see next page. For counters with	740 840 800	BI2302080003
predrilled holes for cable conduct, see	740 1040 800	BI2302081003
pages 120-121.	740 1240 800	BI2302082003
	740 1440 800	BI2302084003
	740 1640 800	BI2302086003

#### H740 mm rectangular counter for height adjustable counter on both sides

0	•	•		
Left side: Height adjustable	Н	x W x	D	ltem no.
Right side: Height adjustable		mm		HPL
Use with two middle panels BI3704183				
and BI3704193, see page 82. Remem-	740	600	800	BI2303060003
ber to order front panel, see next page.	740	800	800	BI2303080003
For counters with predrilled holes for	740	1000	800	BI2303081003
cable conduct, see pages 120-121.	740	1200	800	BI2303082003
	740	1400	800	BI2303084003
	740	1600	800	BI2303086003



### H740 MM RECTANGULAR COUNTERS AND FRONTS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a rectangular H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a rectangular H1000 mm counter, see page 22. See overview on page 82 to find the correct middle panel for your construction.

#### H740 mm rectangular counter for left sided height adjustable counter - middle

Left side: Height adjustable	H x W	x D	ltem no.
Right side: Rectangular/curved/corner	mm		HPL
Use with middle panel BI3704183,			
see page 82. Remember to order front	740 600	800	BI2304060003
panel, see below. For counters with	740 800	800	BI2304080003
predrilled holes for cable conduct, see	740 1000	800	BI2304081003
pages 120-121.	740 1200	800	BI2304082003
	740 1400	800	BI2304084003
	740 1600	800	BI2304086003



#### H740 mm rectangular counter for left sided height adjustable counter - end

3	3 - 1	
Left side: Height adjustable	H x W x D	ltem no.
Right side: End	mm	HPL
Use with middle panel BI3704183,		
see page 82. Remember to order front	740 640 800	BI2305016003
panel, see below. For counters with	740 840 800	BI2305018003
predrilled holes for cable conduct, see	740 1040 800	BI2305020003
pages 120-121.	740 1240 800	BI2305022003
	740 1440 800	BI2305024003
	740 1640 800	BI2305026003



#### Wooden or acrylic front panel for rectangular counter for height adjustable counter

, ,	0	0 1	
Wooden: Melaminecoated/veneer.	Η×W	ltem no.	ltem no.
Acrylic: Melaminecoated wooden	mm	Melamine/veneer	Acrylic & melamine
frame.			,
	740 600	BI300146	BI310146
	740 800	BI300346	BI310346
	740 1000	BI300446	BI310446
	740 1200	BI300546	BI310546
F ·	740 1400	BI300646	BI310646
	740 1600	BI300746	BI310746
	740 600	BI300142	
E-	740 800	BI300342	
	740 1000	BI300442	
	740 1200	BI300542	
	740 1400	BI300642	
	740 1600	BI300742	
		2.0002	





### H740 MM 45° CURVED COUNTERS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a 45° curved H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a 45° curved H1000 mm counter, see page 24. See overview on page 82 to find the correct middle panel for your construction.

-	l height adjustable counter - starter	
Left side: Starter Right side: Height adjustable Use with middle panel B13704193,	H x W x D mm	ltem no. HPL
see page 82. Remember to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121.	740 1835 800	BI2351428003
R 2350 mm R 1550 mm		
45° curved counter for right sides	l height adjustable counter - middle	
-	•	
Left side: Rectangular/curved/corner Right side: Height adjustable	H x W x D mm	ltem no. HPL

Use with middle panel BI3704193, see page 82. Remember to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121.



740 1800 800

BI2352488003

### 45° curved counter for height adjustable counter on both sides

0 1		
Left side: Height adjustable Right side: Height adjustable	H x W x D mm	ltem no. HPL
Use with two middle panels BI3704183 and BI3704193, see page 82. Remem- ber to order front panel, see next page.	740 1800 800	BI2353488003
For counters with predrilled holes for cable conduct, see pages 120-121.		




SCHULZ

## H740 MM 45° CURVED COUNTERS AND FRONT PANELS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a 45° curved H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a 45° curved H1000 mm counter, see page 24. See overview on page 82 to find the correct middle panel for your construction.

45° curved counter for left sided l	neight adjustable count	er - middle	
Left side: Height adjustable Right side: Rectangular/curved/corner Use with middle panel BI3704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see	H x W x D mm 740 1800 800		ltem no. HPL BI2354488003
predrilled noies for cable conduct, see pages 120-121.			
R 2350 mm R 1550 mm			
45° curved counter for left sided h	•	er - end	
Left side: Height adjustable Right side: End Les with middle pared B12704182	H x W x D mm		l <del>t</del> em no. HPL
Use with middle panel B13704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121.	740 1835 800		BI2355428003
	450		
Wooden or acrylic front panel for Wooden: High pressure laminate (HPL)	H x W	ltem no.	ltem no.
Acrylic: Melaminecoated wooden	mm	HPL	Acrylic & melamine

frame.	740	1760	BI3204543





BI3304546



### H740 MM 90° CURVED COUNTERS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a 90° curved H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a 90° curved H1000 mm counter, see page 26. See overview on page 82 to find the correct middle panel for your construction.

ltem no. HPL BI2351928003
BI2351928003
ltem no. HPL
BI2352988003

#### 90° curved counter for height adjustable counter on both sides

Left side: Height adjustable	H x W x D	ltem no.
Right side: Height adjustable	mm	HPL
Use with two middle panels BI3704183 and BI3704193, see page 82. Remem- ber to order front panel, see next page. For counters with predrilled holes for cable conduct, see pages 120-121.	740 1840 800	BI2353988003



## H740 MM 90° CURVED COUNTERS AND FRONT PANELS FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a 90° curved H740 mm counter to Inform height adjustable counters, you must use the counters shown below. If you wish to add a 90° curved H1000 mm counter, see page 26. See overview on page 82 to find the correct middle panel for your construction.

90° curved counter for left sided l	neight adjustable coun	ıter - middle	
.eft side: Height adjustable Right side: Rectangular/curved/corner Jse with middle panel B13704183,	H x W x D mm		ltem no. HPL
are page 82. Remember to order front banel, see below. For counters with bredrilled holes for cable conduct, see bages 120-121.	740 1840 800		BI2354988003
R 2350 mm R 1550 mm			
90° curved counter for left sided l	•	ter - end	line er
.eft side: Height adjustable Right side: End Jse with middle panel B13704183,	H x W x D mm		ltem no. HPL
see page 82. Remember to order front banel, see below. For counters with oredrilled holes for cable conduct, see bages 120-121.	740 1870 800		BI2355928003
Wooden or acrylic front panel for	90° curved counter		
Wooden: High pressure laminate (HPL) Acrylic: Melaminecoated wooden	H x W mm	ltem no. HPL	ltem no. Acrylic & melamine
frame.			





### H740 MM 45° CURVED COUNTERS FOR HEIGHT ADJUSTABLE AND RECESSED COUNTER

If you wish to place a 45° curved H740 mm counter in between a height adjustable counter and a recessed counter, you must use the counters shown below.


45° curved counter for right sided	height a	adjust	ab	le counter - middle	
Left side: Recessed - use with middle panel B13704103. Right side: Height adjustable - use with	H >	w W mm	x	D	ltem no. HPL
middle panel BI3704183. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121.	740	xx		800	BI2362488003

#### 45° curved counter for left sided height adjustable counter - middle

	•	
Left side: Height adjustable - use with middle panel BI3704183.	H x W x D mm	ltem no. HPL
Right side: Recessed - use with middle		
panel BI3704103.	740 xx 800	BI2364488003
Remember to order front panel, see		
below. For counters with predrilled holes		
for cable conduct, see pages 120-121.		

#### Wooden or acrylic front panel for 45° curved counter

Wooden: High pressure laminate (HPL)	H x W	ltem no.	ltem no.
Acrylic: Melaminecoated wooden	mm	HPL	Acrylic & melamine
trame.	740 1760	BI3204543	BI3304546





## H740 MM 90° CURVED COUNTERS PANELS FOR HEIGHT ADJUSTABLE AND RECESSED COUNTER

If you wish to place a 90° curved H740 mm counter in between a height adjustable counter and a recessed counter, you must use the counters shown below.

90° curved counter for right sided	height a	adjus	tak	ble counter - middle	
Left side: Recessed - use with middle panel B13704103. Right side: Height adjustable - use with	Н×	w mm	х	D	ltem no. HPL
middle panel BI3704183. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 120-121.	740	xx		800	BI2362988003

90° curved counter for left sided height adjustable counter - middle

Left side: Height adjustable - use with middle panel BI3704183.	Н×	w w > mm	x D	ltem no. HPL
Right side: Recessed - use with middle panel B13704103. Remember to order front panel, see	740	хх	800	BI2364988003
below. For counters with predrilled holes for cable conduct, see pages 120-121.				

#### Wooden or acrylic front panel for 90° curved counter

Wooden: High pressure laminate (HPL) Acrylic: Melaminecoated wooden frame.	H x W mm	ltem no. HPL	ltem no. Acrylic & melamine
nune.	740 1768	BI3209043	BI3309066



### SQUARE CORNER COUNTER FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a square corner counter to Inform height adjustable counters, you must use the counters shown below. See overview on page 82 to find the correct middle panel for your construction.

Square corner counter top for righ		
Left side: Rectangular Right side: Height adjustable Jse with middle panel B13704193,	H x W x D mm	ltem no. HPL
see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see pages 108- 109.	740 800 800	BI26510003
eft side: Height adjustable Right side: Rectangular	sided height adjustable counter H x W x D mm	ltem no. HPL
Square corner counter top for left Left side: Height adjustable Right side: Rectangular Use with middle panel B13704183, see page 82. Remember to order front panel, see below. For counters with predrilled holes for cable conduct, see	H x W x D	

Wooden front panel for square corner counter

H x W x D mm	ltem no. Melamine	ltem no. Veneer
740 800 800	BI340346	BI340342

## TRIANGULAR CORNER COUNTER FOR HEIGHT ADJUSTABLE COUNTER

If you wish to add a triangular corner counter to Inform height adjustable counters, you must use the counters shown below. See overview on page 82 to find the correct middle panel for your construction.

Triangular corner counter top for r	ight sided height adjustable counter	
.eft side: Rectangular Right side: Height adjustable Jse with middle panel B13704193	H x W x D mm	ltem no. HPL
(see page 82. Remember to order front banel, see below. For counters with boredrilled holes for cable conduct, see bages 120-121.	740 800 800	BI26813003
eft side: Height adjustable	eft sided height adjustable counter H x W x D	ltem no.
Triangular corner counter top for l Left side: Height adjustable Right side: Rectangular Use with middle panel B13704183, see page 82. Remember to order front banel, see below. For counters with boredrilled holes for cable conduct, see bages 120-121.		ltem no. HPL BI26823003

#### Wooden front panel for triangular corner counter

Remember to order leg frame.	H x W x D mm	ltem no. Melamine	ltem no. Veneer
	740 800 800	BI345346	BI345342



## MIDDLE PANELS

It is necessary to order side and middle panels for the height adjustable counter BI240, depending on the construction of your complete counter. See overview of middle panels below. Note - do not place more than 2 height adjustable counters next to each other and remember always to construct your counter from left to right when sitting behind the counter.

Middle panel for height adjust	able and rectangular/curved/corner counte	rs, see pages 7	2-79
	Side of panel	H mm	ltem no. HPL
	Left: H740 mm rectangular/curved/corner for height adjustable counter Right: Height adjustable counter	740	BI3704183
	Left: Height adjustable counter Right: H740 mm rectangular/curved/corner for height adjustable counter	740	BI3704193

Side of panel	H mm	ltem no. HPL
Left: Height adjustable counter Right: Recessed counter	740	BI3704163
Left: Recessed counter Right: Height adjustable counter	740	BI3704173


Middle panel for height adjustable and step counter, see pages 54-56	
Side of page	

 Side of panel	H mm	ltem no. HPL
Left: Height adjustable counter Right: Rectangular/step counter (1000mm)	1000	BI3706203
Left: Rectangular/step counter (1000mm) Right: Height adjustable counter	1000	BI3706213




## CONFIGURATIONS


It is necessary to order side and middle panels for the height adjustable counter BI240, depending on the construction of your complete counter. See overview of middle panels on page 82. Note - do not place more than 2 height adjustable counters next to each other and remember always to construct your counter from left to right when sitting behind the counter.



Recessed rectangular and height adjustable counter



Special rectangular, height adjustable, corner and info counters





STANDARD AND SPECIAL SOLUTIONS


### **COUNTER SHELVES FOR VARIOUS COUNTERS**

When ordering freestanding counter shelf for your counter, please note the following:


A freestanding counter shelf has (equal to a freestanding counter) 40 mm end panels on both sides. The front of the counter shelf has the same measurement as the counter below. This means that if you place a freestanding counter shelf (with two end panels) on a counter built up of two modules, the end panel of the counter shelf will be placed on the top of the adjacent counter.

It is possible to construct a freestanding counter shelf that fits on the counters below, (see 3 options below), but this must be specially requested. Contact customer service for details.


#### **STANDARD**




### **SPECIAL SOLUTION 1**



#### **SPECIAL SOLUTION 2**



#### **SPECIAL SOLUTION 3**



40 mm



www.sbnl.be 2024 - Inform 84

**CONFIGURATION NO. 15** 



### Rectangular & square corner counters (with counter shelves and bag shelves)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - middle (W1200 x H740 mm)	BI2002082003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Square corner counter top (H740 mm)	BI26530003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Acrylic front panel for rectangular counter (W1200 x H740 mm)	BI310546	-	1	-
Wooden front panel for square corner counter (H740 mm)	BI340346	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	2	-
Counter shelf and front for rectangular counter - starter (W1240 mm)	BI4101056	-	1	-
Counter shelf and front for rectangular counter - end (W1240 mm)	BI4103056	-	1	-
Steel leg frame (H740 mm)	BI069146	-	3	-


#### **Comments to configuration**

- Office chair, monitors, Puppy and text are not included in price.
  All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
  We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
  The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.



CONFIGURATION NO. 16





### $45^{\circ}$ curved counters (with counter shelf)

Components	Article no.		Quantity	
45° curved counter - starter (H740 mm)	BI2051428003	-	1	-
45° curved counter - end (H740 mm)	BI2053428003	-	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Counter shelf with front panel for $45^\circ$ counter - freestanding	BI431443	-	1	-

#### **Comments to configuration**

- Monitor and text are not included in price.


- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.



www.sbnl.be 2024 - Inform 86

## CONFIGURATION NO. 17



## $45^\circ$ curved and rectangular counters (with counter shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
45° curved counter - middle (H740 mm)	BI2052488003	-	1	-
45° curved counter - end (H740 mm)	BI2053428003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543	-	2	-
Steel leg frame (H740 mm)	BI069146	-	2	-
Counter shelf with front panel for $45^\circ$ counter - freestanding	BI431443	-	1	-

#### **Comments to configuration**

- Monitor and text are not included in price.

- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.



## COUNTER SHELVES FOR RECTANGULAR COUNTERS

Create a private working space by adding a counter shelf to your standard rectangular counter. It has both practical and optical advantages.

#### Wooden counter shelf with front panel for rectangular counter - starter

High pressure laminate (HPL) counter H x W x D ltem no. ltem no. shelf and melamine coated/veneer front mm HPL & melamine HPL & veneer panel. 300 260 640 BI4101016 BI4151012 260 840 300 BI4101036 BI4151032 1040 300 260 BI4101046 BI4151042 260 1240 300 BI4101056 BI4151052 260 1440 300 BI4151062 BI4101066 260 1640 300 BI4101076 BI4151072

#### Wooden counter shelf with front panel for rectangular counter - middle

High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.	Нx	W x mm	D	ltem no. HPL & melamine	ltem no. HPL & veneer
	260	640	300	BI4102016	BI4152012
	260	840	300	BI4102036	BI4152032
	260	1040	300	BI4102046	BI4152042
	260	1240	300	BI4102056	BI4152052
	260	1440	300	BI4102066	BI4152062
	260	1640	300	BI4102076	BI4152072

#### Wooden counter shelf with front panel for rectangular counter - end

High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.	Н	x W x mm	D	ltem no. HPL & melamine	ltem no. HPL & veneer	
	260	640	300	BI4103016	BI4153012	
	260	840	300	BI4103036	BI4153032	
	260	1040	300	BI4103046	BI4153042	
	260	1240	300	BI4103056	BI4153052	
	260	1440	300	BI4103066	BI4153062	
	260	1640	300	BI4103076	BI4153072	

#### Wooden counter shelf with front panel for rectangular counter - freestanding

High pressure laminate (HPL) counter shelf and melamine coated/veneer front panel.	H	x W x mm	¢ D	ltem no. HPL & melamine	ltem no. HPL & veneer
	260	680	300	BI4104016	BI4154012
	260	880	300	BI4104036	BI4154032
	260	1080	300	BI4104046	BI4154042
	260	1280	300	BI4104056	BI4154052
	260	1480	300	BI4104066	BI4154062
	260	1680	300	BI4104076	BI4154072



## COUNTER SHELVES FOR CORNER COUNTERS

Create a private working space by adding a counter shelf to your standard corner counter. It has both practical and optical advantages.

		iter - starter	
tigh pressure laminate (HPL) counter helf and melamine coated/veneer front panel.	H x W x D mm	ltem no. HPL & melamine	ltem no. HPL & veneer
	260 800 300	BI4201036	BI4251032
Vooden counter shelf with front p	anel for corner coun	ter - middle	
tigh pressure laminate (HPL) counter helf and melamine coated/veneer front panel.	H x W x D mm	ltem no. HPL & melamine	ltem no. HPL & veneer
	260 800 300	BI4202036	BI4252032
Nooden counter shelf with front p ligh pressure laminate (HPL) counter	anel for corner coun H x W x D	ter - end Item no.	ltem no.
helf and melamine coated/veneer front panel.	mm	HPL & melamine	HPL & veneer
Junei.	260 800 300	BI4203036	BI4253032
Wooden counter shelf with front p		•	
High pressure laminate (HPL) counter	H x W x D	ltem no.	ltem no.
shelf and melamine coated/veneer front panel.	mm	HPL & melamine	HPL & veneer







## COUNTER SHELVES FOR 45° COUNTER

Create a private working space by adding a counter shelf to your curved counter. It has both practical and optical advantages.

High pressure laminate (HPL) counter shelf and HPL/veneer front panel.	panel for 45° counter H x D mm	ltem no. HPL	ltem no. HPL & veneer
·	260 300	BI431143	BI435142
Vooden counter shelf with front	panel for 45° counte	r - middle	
ligh pressure laminate (HPL) counter nelf and HPL/veneer front panel.	H x D mm	ltem no. HPL	ltem no. HPL & veneer
	260 300	BI431243	BI435242
Nooden counter shelf with front ligh pressure laminate (HPL) counter helf and HPL/veneer front panel.	panel for 45° counter H x D mm	r - end Item no. HPL	ltem no. HPL & veneer
	260 300	BI431343	BI435342
	panel for 45° counte	r - freestanding	
			ltem no.
ligh pressure laminate (HPL) counter	H x D mm	ltem no. HPL	HPL & veneer
Nooden counter shelf with front high pressure laminate (HPL) counter helf and HPL/veneer front panel.	H x D		

## COUNTER SHELVES FOR 90° COUNTER

Create a private working space by adding a counter shelf to your curved counter. It has both practical and optical advantages.

ligh pressure laminate (HPL) counter	НхD	ltem no.	ltem no.
helf and HPL/veneer front panel.	mm	HPL	HPL & veneer
	260 300	BI431193	BI435192
Vooden counter shelf with front ligh pressure laminate (HPL) counter nelf and HPL/veneer front panel.	H x D mm	Item no. HPL	ltem no. HPL & veneer
	260 300	BI431293	BI435292
igh pressure laminate (HPL) counter	panel for 90° counte H x D mm	r - end Item no. HPL	ltem no. HPL & veneer
igh pressure laminate (HPL) counter	H x D	ltem no.	
igh pressure laminate (HPL) counter helf and HPL/veneer front panel.	H x D mm 260 300 panel for 90° counte	Item no. HPL BI431393 r - freestanding	HPL & veneer BI435392
Vooden counter shelf with front high pressure laminate (HPL) counter helf and HPL/veneer front panel.	H x D mm 260 300	ltem no. HPL BI431393	HPL & veneer



## CONFIGURATION NO. 18



. ۲۲ ۲<u>/</u>

└\_\_\_ 1236 mm 2919 mm

1240 MM

+/\_

1240 mm

— 1481 mm -

## Rectangular height adjustable counters and corner display unit

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	2	-
Acrylic front panel for height adjustable counter (W1200 x H740 mm)	BI360543	-	2	-
Corner display unit (H870 mm)	BI5105336	-	1	-
Right side panel for height adjustable counter (H740 mm)	BI3804313	-	1	-

#### **Comments to configuration**

Monitor, display and text are not included in price.
All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.




www.sbnl.be 2024 - Inform 92

### CORNER DISPLAY UNITS


This is a slender corner solution with a presentation function towards the customer. The front-side shelves provide perfect storage for loose pamphlets, as well as for books and DVD's. The display unit also structures your counter and offers space e.g. book stands at standing height. The display units are ready for direct integration into all parts of the Inform counter. When constructing your counter, remember always to construct your counter from left to right when sitting behind the counter!

#### H870 mm - corner display unit



H x W x Front mm 870 875 1200	ltem no. Melamine BI5105006		ltem no. Veneer BI5105002	
To have the correct position must use the following in th			with other counters or	cabinets, you
-			Left panel	Right panel
No drill holes for connectin	g fittings	BI5105	Ö	0
Drill holes for counter heigh	nt 740 mm	BI5105	2	2
Drill holes for height adjust	able counter	BI5105	3	3
Drill holes for recessed cou	nter	BI5105	4	4

#### H1130 mm - corner display unit



H x W x Front mm	ltem no. Melamine		ltem no. Veneer	
1130 875 1200	BI5107006		BI5107002	
To have the correct position must use the following in t				
			Left panel	Right panel
No drill holes for connect	ing fittings	BI5107	0	0
Drill holes for standing he	ight 1000 mm	BI5107	1	1
Drill holes for counter heig		BI5107	2	2
Drill holes for height adju		BI5107	3	3
Drill holes for recessed co		BI5107	4	4



## CONFIGURATION NO. 19



## Rectangular height adjustable and rectangular counters with display cabinet

Components	Article no.		Quantity	
Left side panel for height adjustable counter (H740 mm)	BI3804303	-	1	-
Height adjustable counter - starter, middle and end (W1200 mm)	BI24015006	-	1	-
Wooden front panel for height adjustable counter (W1200 x H740 mm)	BI350546	-	1	-
Display cabinet with shelves & pamphlet display (W1008 x H870 mm)	BI515115006	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-

#### **Comments to configuration**

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.

www.sbnl.be 2024 - Inform 94


Monitor and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

### **DISPLAY CABINETS WITH STORAGE**

This is a cabinet with double function: Display at the front and cabinet at the back! Inserted shelves at the front provide perfect storage for loose pamphlets, as well as for books and DVD's. The cabinet offers practical additional surface when standing behind the counter and comes in different heights and widths. The cabinets are ready for direct integration with rectangular, curved and height adjustable counters. The open back of the cabinet can be equipped with lockable doors.

H870 mm - display cabinet with shelves at the back and pamphlet display in front

With bottom shelf and one middle shelf at the back. Doors can be installed on back of display cabinet, see page 100.




		ick und pu	impliner display in nom	
H :	x W x mm	D	ltem no. Melamine	ltem no. Veneer
870 870 870	758 908 1008	875 875 875	BI515715006 BI515915006 BI515115006	BI515715002 BI515915002 BI515115002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Left panel	Right panel
No drill holes for connecting fittings	BI515715	0	0
Drill holes for counter height 740 mm	BI515715	2	2
Drill holes for height adjustable counter	BI515715	3	3
Drill holes for recessed counter	BI515715	4	4

#### H1130 mm - display cabinet with shelves at the back and pamphlet display in front

With bottom shelf and two middle shelves at the back. Doors can be installed on back of display cabinet, see page 100.



H x W x D	ltem no.	ltem no.
mm	Melamine	Veneer
1130 758 875	BI515727006	BI515727002
1130 908 875	BI515927006	BI515927002
1130 1008 875	BI515127006	BI515127002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number: left panel Right panel

		Len puner	kigili pullei
No drill holes for connecting fittings	BI515727	0	0
Drill holes for standing height 1000 mm	BI515727	1	1
Drill holes for counter height 740 mm	BI515727	2	2
Drill holes for height adjustable counter	BI515727	3	3
Drill holes for recessed counter	BI515727	4	4


Front

Doors



CONFIGURATION NO. 20





### Rectangular counters with display cabinet with drawers

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003		1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Display cabinet with drawers & pamphlet display (W865 x H870 mm)	BI520943006	-	1	-

#### **Comments to configuration**

- Monitor, drawer pedestal and keyboard are not included in price.

- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.

www.sbnl.be 2024 - Inform 96

### DISPLAY CABINETS WITH DRAWERS


This is a cabinet similar to the display cabinet with storage: It has the same front display, but with drawers at the back. Inserted shelves at the front provide perfect storage for loose pamphlets, as well as for books and DVD's. The drawers at the back are designed for organising different media by use of mobile dividers. The drawers are lockable and with drawer stop, which prevents the cabinet from tilting, when several drawers are open at the same time.

With 4 drawers. See page 100 for ac- cessories for drawers.	H x W x D mm	ltem no. Melamine	ltem no. Veneer	
	895 865 894	BI520943006	BI520943002	2
1	To have the correct positi			

H1130 mm - display cabinet with drawers at the back and pamphlet display in front With 5 drawers. See page 100 for accessories for drawers. H x W x D mm Melamine Htem no. Veneer

> N D

> D D D



Front

			pumpiner display in nom	
Н×	⟨₩⟩ mm	k D	ltem no. Melamine	ltem no. Veneer
1130	865	894	BI520957006	BI520957002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number: Left panel Right panel

No drill holes for connecting fittings	BI520957	Ö
Drill holes for standing height 1000 mm	BI520957	1
Drill holes for counter height 740 mm	BI520957	2
Drill holes for height adjustable counter	BI520957	3
Drill holes for recessed counter	BI520957	4



0 1


2 3 4

### DISPLAY CABINETS WITH SHELVES AND SHELVING OPTIONS

Another cabinet with double function: Optional front display shelves and storage at the back! The front-side shelves (not included in price of cabinet) can be adjusted and can also be tilted for presenting your new acquisitions. With different heights and widths, the cabinets are ready for direct integration with rectangular, curved and height adjustable counters. The open back of the cabinet can be equipped with lockable doors.

H870 mm - display cabinet with shelves at the back and shelving options in the front

With bottom shelf and one middle shelf at the back. Front shelves are not included. Doors can be installed on back of display cabinet. See pages 100-101 for doors and shelves.



			on ing opnone in me nom	
H >	x W x mm	D	ltem no. Melamine	ltem no. Veneer
870 870 870	758 908 1008	875 875 875	BI525715006 BI525915006 BI525115006	BI525715002 BI525915002 BI525115002


To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Lett panel	Right panel
No drill holes for connecting fittings	BI5255715	0	0
Drill holes for counter height 740 mm	BI5255715	2	2
Drill holes for height adjustable counter	BI5255715	3	3
Drill holes for recessed counter	BI5255715	4	4

### H1130 mm - display cabinet with shelves at the back and shelving options in the front

With bottom shelf and two middle shelves at the back. Front shelves are not included. Doors can be installed on back of display cabinet. See pages 100-101 for doors and shelves.

	• •	
H x W x D	ltem no.	ltem no.
mm	Melamine	Veneer
1130 758 875 1130 908 875	BI525727006	BI525727002
1130 908 875	BI525927006	BI525927032
1130 1008 875	BI525127006	BI525127002



To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number: left panel Right panel

		Lon panor	nigin panoi
No drill holes for connecting fittings	BI525727	0	0
Drill holes for standing height 1000 mm	BI525727	1	1
Drill holes for counter height 740 mm	BI525727	2	2
Drill holes for height adjustable counter	BI525727	3	3
Drill holes for recessed counter	BI525727	4	4




### DISPLAY CABINET WITH BOOK TROLLEY GARAGE

Use the space behind your counter - give your book trolley its own parking spot! You will not loose any space when you have the double function cabinet as part of your counter. At the same time, present your books or pamphlets at the front of the cabinet. The cabinets are ready for direct integration with rectangular, curved and height adjustable counters.

H1130 mm - display cabinet with book trolley garage at the back and shelving options in front

Inner dimension of garage: H1080 x W930 x D580 mm. Front shelves are not included, see page 101.

H x W x D	Item no.	ltem no.
mm	Melamine	Veneer
1130 1008 875	BI530197006	BI530197002




To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number:

		Lett panel	Right panel
No drill holes for connecting fittings	BI530187	0	0
Drill holes for standing height 1000 mm	BI530187	1	1
Drill holes for counter height 740 mm	BI530187	2	2
Drill holes for height adjustable counter	BI530187	3	3
Drill holes for recessed counter	BI530187	4	4

H1130 mm - display cabinet with book trolley garage at the back and pamphlet display in front

Inner dimension of garage: H1080 x W930 x D580 mm.



book noney guidge ut ind	e buck and pampiner display in	1 II OIII
H x W x D	Item no.	ltem no.
mm	Melamine	Veneer
1130 1008 875	BI530187006	BI530187002

To have the correct positioning of drill holes in combination with other counters or cabinets, you must use the following in the article number: Left panel

No drill holes for connecting fittings Drill holes for standing height 1000 mm Drill holes for counter height 740 mm Drill holes for height adjustable counter Drill holes for recessed counter	BI530197 BI530197 BI530197 BI530197 BI530197 BI530197
Drill holes for recessed counter	BI530197



Right panel

0

1

2

3

4

0

1

2

3

4

ACCESSORIES

#### Doors for display cabinet BI515 & BI525

With cylinder lock and door handles.	H x W	ltem no.	ltem no.
	mm	Melamine	Veneer
1	870 758	BI5407056	BI5407052
	870 908	BI5409056	BI5409052
	870 1008	BI5401056	BI5401052
	1130 758	BI5407076	BI5407072
	1130 908	BI5409076	BI5409072
	1130 1008	BI5401076	BI5401072

#### Drawer organizer for display cabinet BI520


To organise media. Incl. silver coloured steel dividers, two stainless steel rods, mat and four mobile dividers. For approx. 200 CDs in standard cases, 1000 CDs in plastic cases or 90 DVDs.

1 set for 1 drawer	
1 additional divider	

Description

ltem no.

B4011859 B401186



Bracket for sloping wooden and steel shelves

ltem no.

BN066



ACCESSORIES

### Wooden shelf with steel backedge for display cabinet BI525 & BI530

Snapfix incl. Steel backedge H47 mm. When turned, the shelf can be used as a sloping shelf by using	w x m	c D 1m	Type of shelf	ltem no. Melamine	ltem no. Veneer
the existing pins and bracket	500	250	Straight	B4018025216	B4018025212
BN066.	500	300	Sloping	B4018025316	B4018025312
	750	250	Straight	B4018027216	B4018027212
	750	300	Sloping	B4018027316	B4018027312
	900	250	Straight	B4018029216	B4018029212
	900	300	Sloping	B4018029316	B4018029312
	1000	250	Straight	B4018021216	B4018021212
	1000	300	Sloping	B4018021316	B4018021312

### Wooden shelf for display cabinet BI525 & BI530

Snapfix incl.

ìnapfix incl.	W x m	D m	Type of shelf	ltem no. Melamine	ltem no. Veneer
	500	250	Straight	B4018025206	B4018025202
	750	250	Straight	B4018027206	B4018027202
	900	250	Straight	B4018029206	B4018029202
	1000	250	Straight	B4018021206	B4018021202

#### Steel shelf with steel backedge for display cabinet BI525 & BI530

Pins incl. Steel backedge H25 mm. When turned, the shelf can be used as a sloping shelf by using	W >	k D nm	Type of shelf	ltem no.
the existing pins and bracket	500	250	Straight	B401803521
BN066.	500	300	Sloping	B401803531
	750	250	Straight	B401803721
	750	300	Sloping	B401803731
	900	250	Straight	B401803921
	900	300	Sloping	B401803931
	1000	250	Straight	B401803121
	1000	300	Sloping	B401803131

### Steel shelf for display cabinet BI525 & BI530

Pins incl.	W x D Type of shelf mm	ltem no.
	500 250 Straight	B401803520
	750 250 Straight	B401803720
	900 250 Straight	B401803920
	1000 250 Straight	B401803120



## **FUNCTIONS CONFIGURATION NO. 21**





### Rectangular counters (with counter top part & bag shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Wooden counter top part with info sign (W600 x H490 mm)	BI820186	-	1	-
Wooden bag shelf for rectangular counter (W1200 mm)	BI81053	-	1	-

#### **Comments to configuration**

Office chair and text are not included in price.
All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
The bag shelf is in fact 1000 mm long, adapted to a 1200 mm front panel.



www.sbnl.be 2024 - Inform 102


**BAG SHELVES** 

Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly. The wooden bag shelves below can only be used with wooden front panels, it is not possible to use with acrylic front panels. The distance from floor to top of shelf is 55 cm.

Only use with wooden front panels. Do	Counter Shelf Shelf	ltem no.
not use with acrylic front panels. Max.	W x W x D	HPL
load 5 kg. Actual width of shelf is 200	mm	
mm shorter than the width of the counter.	600 400 180	BI81013
	800 600 180	BI81033
	1000 800 180	BI81043
	1200 1000 180	BI81053
	1400 1200 180	BI81063
	1600 1400 180	BI81073

### Wooden bag shelf for 45° curved counter

0		
Only use with wooden front panels. Do	W x	D
not use with acrylic front panels. Max. load 5 kg.	mm	
load o kg.	1710	180



### Wooden bag shelf for 90° curved counter

Only use with wooden front panels. Do W x D not use with acrylic front panels. Max. mm load 5 kg.

1875 180

1875



ltem no. HPL

ltem no. HPL

BI815453

BI815903



## **CONFIGURATION NO. 22**



45° curved counters (with counter top part)

Components	Article no.	Quantity	
45° curved counter - starter (H740 mm)	BI2051428003 -	1	-
45° curved counter - end (H740 mm)	BI2053428003 -	1	-
Wooden front panel for 45° curved counter (H740 mm)	BI3204543 -	2	-
Steel leg frame (H740 mm)	BI069146 -	1	-
Wooden counter top part with info sign (1400 x H490 mm)	BI82545683 -	1	-

3377 mm

#### **Comments to configuration**


Computer, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.

www.sbnl.be 2024 - Inform 104

## **FUNCTIONS CONFIGURATION NO. 23**





#### Rectangular counters (with acrylic front panel, bag shelf & counter top part with bag shelf)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - middle (W1200 x H740 mm)	BI2002082003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Acrylic front panel for rectangular counter (W1200 x H740 mm)	BI310546	-	1	-
Steel leg frame (H740 mm)	BI069146	-	2	-
Wooden counter top part with bag shelf (W1000 x H490 mm)	BI830486	-	1	-
Wooden bag shelf (W1200 mm)	BI81053	-	1	-
Stainless steel desk grommet	B4015553	-	1	-

#### **Comments to configuration**

- Monitor, key board, office chair and text are not included in price.
  All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- The counter top part and bag shelf are in fact 1000 mm long, adapted to a 1200 mm front panel.




## COUNTER TOP PARTS WITH INFO SIGN

Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly.

Wooden counter top part with i	nfo sign foi	r recta	ngular c	ounter		
	W x	< H mm (OI		H × mm	c D (ID)	ltem no. Melamine
	600 800 1000 1200 1400 1600	490 490 490 490 490 490	280 280 280 280 280 280 280	235 235 235 235 235 235 235	250 250 250 250 250 250	BI820186 BI820386 BI820486 BI820586 BI820686 BI820786
	600 800 1000 1200 1400 1600	580 580 580 580 580 580 580	280 280 280 280 280 280 280	325 325 325 325 325 325 325	250 250 250 250 250 250 250	BI820196 BI820396 BI820496 BI820596 BI820696 BI820796

Wooden counter top part with info sign for  $45^\circ$  curved counter



W ×	(H) mm (OI	x D D)	H x mm	-	ltem no. HPL
800 1000 1200 1400	490 490 490 490	280 280 280 280	235 235 235 235 235	250 250 250 250	BI82545383 BI82545483 BI82545583 BI82545683
800 1000 1200 1400	580 580 580 580	280 280 280 280	325 325 325 325 325	250 250 250 250	BI82545393 BI82545493 BI82545593 BI82545693

Wooden counter top part with info sign for 90° curved counter


W x H x I mm (OD)	D H x D mm (ID)	ltem no. HPL
1000 490 2 1200 490 2	80235250802352508023525080235250	B182590383 B182590483 B182590583 B182590683
1000 580 2 1200 580 2	80       325       250         80       325       250         80       325       250         80       325       250         80       325       250	BI82590393 BI82590493 BI82590593 BI82590693

## COUNTER TOP PARTS WITH INFO SIGN

Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly.


	W x	НхD	H x D	ltem no.
	rr	nm (OD)	mm (ID)	Veneer
	600	490 280	235 250	BI820182
$\sim$	800	490 280	235 250	BI820382
	1000	490 280	235 250	BI820482
	1200	490 280	235 250	BI820582
	1400	490 280	235 250	BI820682
	1600	490 280	235 250	BI820782
	600	580 280	325 250	BI820192
	800	580 280	325 250	BI820392
	1000	580 280	325 250	BI820492
	1200	580 280	325 250	BI820592
	1400	580 280	325 250	BI820692
<u> </u>	1600	580 280	325 250	BI820792

Wooden counter top part with info sign for 45° curved counter



W x H x D mm (OD)	H x D mm (ID)	ltem no. Veneer
800490280100049028012004902801400490280	235250235250235250235250	BI82545382 BI82545482 BI82545582 BI82545682
800580280100058028012005802801400580280	325250325250325250325250	B182545392 B182545492 B182545592 B182545692

Wooden counter top part with info sign for 90° curved counter





## COUNTER TOP PARTS WITH BAG SHELF

Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly. The counter top parts can only be used with wooden front panels, it is not possible to use with acrylic front panels.

Wooden counter top part with bag	shelf fo	or recto	angular	<sup>-</sup> counter	r		
Max. load 5 kg.	W ×		< D1 × (OD)	2 D2	H → mm	< D (ID)	ltem no. Melamine
	600 800 1000 1200 1400 1600 600 800 1000 1200 1400 1600	490 490 490 490 490 490 580 580 580 580 580 580	280 280 280 280 280 280 280 280 280 280	130 130 130 130 130 130 130 130 130 130	235 235 235 235 235 235 325 325 325 325	250 250 250 250 250 250 250 250 250 250	BI830186 BI830386 BI830486 BI830586 BI830586 BI830786 BI830786 BI830396 BI830496 BI830596 BI830596 BI830596 BI830796

Wooden counter top part with bag shelf for  $45^\circ$  curved counter

11 0					
Max. load 5 kg.	W x	H x D1 mm (OD)	x D2	H x D	ltem no. HPL
				mm (ID)	I IF L
	1000 4 1200 4 1400 4 800 3 1000 3 1200 3	490         280           490         280           490         280           490         280           580         280           580         280           580         280           580         280           580         280           580         280           580         280	130 130 130 130 130 130 130 130 130	235       250         235       250         235       250         235       250         325       250         325       250         325       250         325       250         325       250         325       250         325       250	BI83545383 BI83545483 BI83545583 BI83545683 BI83545683 BI83545493 BI83545593 BI83545693
D2					

lax. load 5 kg.	W >	W x H x D1 x D2 mm (OD)			H x D mm (ID)		ltem no. HPL
	800	490	280	130	235	250	BI83590383
	1000	490	280	130	235	250	BI83590483
	1200	490	280	130	235	250	BI83590583
	1400	490	280	130	235	250	BI83590683
	800	580	280	130	325	250	BI83590493
4	1000	580	280	130	325	250	BI83590593
	1200	580	280	130	325	250	BI83590693
	1400	580	280	130	325	250	BI83590393

### COUNTER TOP PARTS WITH BAG SHELF

Add functions to your counter. Below you will find products that can be built on to the Inform counter to make it more functional and user friendly. The counter top parts can only be used with wooden front panels, it is not possible to use with acrylic front panels.

Wooden counter top part with bag	shelf fo	or recto	angular	counte	r		
Max. load 5 kg.	W x		: D1 x (OD)	D2	H × mm		ltem no. Veneer
	600 800 1200 1400 1600 600 800 1000 1200 1400 1600	490 490 490 490 490 490 580 580 580 580 580 580	280 280 280 280 280 280 280 280 280 280	130 130 130 130 130 130 130 130 130 130	235 235 235 235 235 235 325 325 325 325	250 250 250 250 250 250 250 250 250 250	BI830182 BI830382 BI830482 BI830582 BI830682 BI830782 BI830782 BI830392 BI830492 BI830592 BI830692 BI830792

Wooden counter top part with bag shelf for  $45^\circ$  curved counter

Max. load 5 kg.	W x		c D1 x (OD)	c D2	H > mm		ltem no. Veneer
D1 D2	800 1000 1200 1400 800 1000 1200 1400	490 490 490 580 580 580 580	280 280 280 280 280 280 280 280 280	130 130 130 130 130 130 130 130	235 235 235 235 325 325 325 325 325	250 250 250 250 250 250 250 250 250	BI83545382 BI83545482 BI83545582 BI83545682 BI83545392 BI83545492 BI83545592 BI83545692

lax. load 5 kg.	W ×		× D1 > (OD)	c D2	H > mm		ltem no. Veneer
	800	490	280	130	235	250	BI83590382
	1000	490	280	130	235	250	BI83590482
	1200	490	280	130	235	250	BI83590582
	1400	490	280	130	235	250	BI83590682
	800	580	280	130	325	250	BI83590392
4	1000	580	280	130	325	250	BI83590492
	1200	580	280	130	325	250	BI83590592
4	1400	580	280	130	325	250	BI83590692



CONFIGURATION NO. 24



— 2480 mm

### Rectangular counters (with decorative boards)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Wooden decorative board - high (W600 x H740 mm)	BI840146		1	-
Wooden decorative board - narrow (W600 x H190 mm)	BI845116	•	1	-


**Comments to configuration** 

- Office chair and text are not included in price.

- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.

### DECORATIVE BOARDS AND INFO SIGNS



#### Wooden decorative board - narrow

W x H mm	x D	ltem no. Melamine	ltem no. Veneer
6001908001901000190120019014001901600190	19 19 19 19 19 19	BI845116 BI845316 BI845416 BI845516 BI845616 BI845716	BI845112 BI845312 BI845412 BI845512 BI845612 BI845712

#### Wooden info sign


ſ

Melamine/veneer board. Only use with wooden front panels. Do not use with	W x	H x mm	D	ltem no. Melamine	ltem no. Veneer	
acrylic front panels.	800 1000	430 430 430 430	25 25 25 25	B1850126 B1850326 B1850426 B1850526	BI850122 BI850322 BI850422 BI850522	

Acrylic frosted white glazed board. Only use with wooden front panels. Do		H x mm	D	ltem no. Acrylic
not use with acrylic front panels.	800 A 1000 A	430 430 430 430	10 10 10 10	BI85512 BI85532 BI85542 BI85552



**CONFIGURATION NO. 25** 



2480 mm

#### Rectangular counters (with acrylic info sign, desk grommet and monitor arm)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	1	-
Acrylic front panel for rectangular counter (W1200 x H740 mm)	BI310546	-	1	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Info sign - acrylic frosted white glazed (W600 x H430 mm)	BI85512	-	1	-
Monitor arm	B401184	-	1	-

#### **Comments to configuration**

- Monitor, office chair and text are not included in price.All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.

# FUNCTIONAL ACCESSORIES

Desk grommet			
Ø80 mm. Drill hole is not included. For placement of drill hole, see cable conduct on pages 122-123.	Material	Colour	ltem no.
	Plastic	Oyster white	B4015548
	Plastic Plastic	Black Silver	B4015542 B4015549
S C	Trastic		84013349
)	Metal	Stainless steel	B4015553
Monitor arm			
Silver. For placement of drill hole, see cable conduct on pages 120-121. Drill			ltem no.
holes for monitor arm will most often be drilled on site.			B401184
S			
CPU holder			
W230 x H551 x D500 mm. Laquered steel. Practical storage of CPU holder under counter. Does not fit with recessed			ltem no.
counter. Does not fit with recessed			B401180

#### Cable channel W495 x H70 x D115 mm. Laquered steel. Is bendable - can be used with ltem no. both straight and curved counters. For required quantities, see below. B401182A28 THE THE DOL шп ...... mm 90° 45° 600 800 1000 1200 1600 1400 Drawer pedestal W442 x H615 x D585 mm. ltem no. Drawers Item no. With office supplies drawer Melamine Veneer and 2/3 drawers. 1 drawer (128 mm) B401195256 B401195252 1 drawer (320 mm) 1 drawer (192 mm) B401195346 B401195342 1 drawer (256 mm) 2 drawers (128 mm) B401195236 B401195232 1 drawer (192 mm)



### POWER SOCKETS

### Power socket Square 80

W181 x D96 mm with lid open. With sliding lid. Mounting hole Ø80 mm.	Colour	USB	Туре	Market	ltem no.
Worktop thickness 10-50 mm.	Black	1	1 x F	BE/DE/DK/FR/SE	B4015002101
3 m cable length.	White	1	1 x F	BE/DE/DK/FR/SE	B4015001101
	Black	1	1 x G	GB	B4015002311
	White	1	1 x G	GB	B4015001311
FGB	Black	1	1 x B	US	B4015002221



Built-in power socket BackFlip					
W225 x D105 mm. Lid flips 180 deg. Mounting depth 53 mm.	Colour	USB	Туре	Market	ltem no.
Worktop thickness 10-40 mm. 2,5 m cable length.	Stainless stee	el 2	2 x F	BE/DE/DK/FR/SE	B4015013102
	Stainless stee	el 2	2 x G	GB	B4015013312






### FUNCTIONS POWER SOCKETS


### Built-in power socket FlipTop Push

W260 x D167 mm. Open lid with soft touch.	Colour	USB	Туре	Market	ltem no.
Mounting depth 68 mm. Worktop thickness 10-50 mm. 3 m cable length.	Stainless steel	2	3 x F	BE/DE/DK/FR/SE	B4015023103
	Stainless steel	2	2 x G	GB	B4015023312





Built-in power socket FrameDock W260 x D167 mm. Mounting depth 51 mm. Worktop thickness 5-38 mm.	Colour	USB	Туре	Market	ltem no.
3 m cable length.	Black White	2 2	3 x F 3 x F	BE/DE/DK/FR/SE BE/DE/DK/FR/SE	B4015032103
	vville	2	3 . 1	BE/ DE/ DR/ TR/ SE	B4015031103
	Black	2	2 x G	GB	B4015032312
⊙ÿ ⊡ÿ ₽Ÿ	Black	2	2 x B	US	B4015032222
F G B					





CONFIGURATION NO. 26





### Rectangular counters (with acrylic front panels and lighting)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Acrylic front panel for rectangular counter (W1200 x H740 mm)	BI310546	-	2	-
Light for acrylic front panel (W1200 mm)	BI86051	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Monitor arm	B401184	-	1	-

#### **Comments to configuration**

- Monitor and office chair are not included in price.

- All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.
- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.
- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.
- Above article number for light is for German voltage and plug. Contact Sales for further information on voltage and plug for other countries.



LED LIGHT

Create your own individual counter! You can differentiate your counter by use of acrylic front panels with light. See Design Options for acrylic front panel options. Note - the LED lighting can only be used for Standard Inform rectangular and curved counters.

	,	•	anel	
Light mounted underneath table top on	W	W	Watt	ltem no.
the inside of the counter. With cable and	counter	lamp		
plug for the European market (except				
UK). Contact sales for plug and voltage	800	595	1 x 14W	BI86031
for other countries.	1000	895	1 x 21W	BI86041
	1200	895	1 x 21W	BI86051
	1400	1195	1 x 28W	BI86061
	1600	1495	1 x 35W	BI86071

Light for 45° and 90° curved coun	nter wit	h acryl	ic front panel	
Light mounted underneath table top on	Deg.	W	Watt	ltem no.
the inside of the counter. With cable and plug for the European market (except		lamp		
UK). Contact sales for plug and voltage	45°	595	2 x 14W	BI862451
for other countries.	90°	595	2 x 14W	BI862901



**CONFIGURATON NO. 27** 





#### Rectangular counters (with graphics on wooden front panel)

Components	Article no.		Quantity	
Rectangular counter - starter (W1240 x H740 mm)	BI2001022003	-	1	-
Rectangular counter - end (W1240 x H740 mm)	BI2003022003	-	1	-
Wooden front panel for rectangular counter (W1200 x H740 mm)	BI300546	-	2	-
Additional graphics to wooden front panel (W1200 x H740 mm)	BI86454	-	2	-
Steel leg frame (H740 mm)	BI069146	-	1	-
Monitor arm	B401184	-	1	-

#### **Comments to configuration**

Monitor, key board and office chair are not included in price.
All prices are based on colours and surfaces in price group A, see pages 4-7 for colours.

- We recommend the use of desk grommets, cable rails and drawer pedestals with the Inform counter, see page 113.

- It is necessary to drill an Ø80 mm hole for the monitor arm on site or modify the article number for counter for predrilled hole, see pages 120-121.



### GRAPHICS

Create your own individual counter! Use the front of the counter as a display for your ideas. The Inform counter gives you the opportunity to design all wooden front panels in accordance with your wishes and requirements. Use pictures, graphics or text to make a statement!


Front image for rectangular front p	anel		
Price for full size sticker. Smaller stickers and logos on request. Price excl. front	H m	W	ltem no.
banel.	740	600	
	740	800	BI86414 BI86434
	740	1000	BI86444
	740	1200	BI86454
	740	1400	BI86464
	740	1600	BI86474
	1000	600	BI86416
	1000	800	BI86436
	1000	1000	BI86446
	1000	1200	BI86456
	1000 1000	1400 1600	BI86466 BI86476
Front image for 45° curved front p	anel		
Price for full size sticker. Smaller stickers and logos on request. Price excl. front	H m	W	ltem no.
panel.	740	1830	BI866454
	1000	1850	BI866456
Front image for 90° curved front p Price for full size sticker. Smaller stickers	anel H	W	ltem no.
and logos on request. Price excl. front panel.	m		
	740	1830	BI866904
	1000	1850	BI866906
Front image for corner front panel			
Price for full size sticker. Smaller stickers and logos on request. Price excl. front panel.	H m	W m	Item no.
punci.	740	800	BI8684
	1000	800	BI8686
Text for front panel			
			ltem no.



# DRILL HOLES


FOR CABLE CONDUCT

It is possible to have counters delivered with predrilled holes and desk grommets for cable conduct. There is a surcharge per drill hole and desk grommet. Please inform Customer Service where you would like the predrilled hole to be placed (0-7) and which desk grommet (0/2/3/8/9) you would like. Remember to view the counter from left to right, as if sitting behind the counter.



### DRILL HOLES FOR CABLE CONDUCT

It is possible to have counters delivered with predrilled holes and desk grommets for cable conduct. There is a surcharge per drill hole and desk grommet. Please inform Customer Service where you would like the predrilled hole to be placed (0-7) and which desk grommet (0/2/3/8/9) you would like. Remember to view the counter from left to right, as if sitting behind the counter.






### **RFID INSTALLATION**


### PREPARATION FOR INSTALLATION OF RFID IN COUNTERTOP

The Inform counter offers the option to install an RFID PCB under the countertop, whether straight, curved or height adjustable. The 40 mm thick countertop is recessed below the central section to allow for the optimal positioning of the RFID PCB as needed. As far as the dimension of the countertop is concerned, the central recessed section leaves a peripheral circumference of 80 mm to 110 mm to preserve the visual aesthetics of the 40 mm top. In the recessed section, the countertop is 20 mm thick, thus complying with the technical specifications of most RFID systems for counters.

RFID installation in rectangular counter



RFID installation in recessed rectangular counter






# **RFID INSTALLATION**


### PREPARATION FOR INSTALLATION OF RFID IN COUNTERTOP

The Inform counter offers the option to install an RFID PCB under the countertop, whether straight, curved or height adjustable. The 40 mm thick countertop is recessed below the central section to allow for the optimal positioning of the RFID PCB as needed. As far as the dimension of the countertop is concerned, the central recessed section leaves a peripheral circumference of 80 mm to 110 mm to preserve the visual aesthetics of the 40 mm top. In the recessed section, the countertop is 20 mm thick, thus complying with the technical specifications of most RFID systems for counters.

RFID installation in 45° curved counters



RFID installation in 90° curved counters







### LOCATIONS





#### DENMARK

Lammhults Biblioteksdesign A/S Dalbækvej 1 6670 Holsted

bci@bci.dk www.bci.dk

#### **SWEDEN**

Lammhults Biblioteksdesign AB Odlarevägen 16 226 60 Lund

eurobib@eurobib.se www.eurobib.se

#### **UNITED KINGDOM**

thedesignconcept Ltd. The Old Bakery, 10 Greenless Road Cambuslang Belgrave Street Glasow G72 8JJ

info@thedesignconcept.co.uk www.thedesignconcept.co.uk

### FRANCE

BC Intérieur Sarl 6 allée Kepler 77420 Champs sur Marne

bci@bcinterieur.com www.bcinterieur.com

#### GERMANY

Schulz Speyer Bibliothekstechnik AG Hafenstraße 2 67346 Speyer

sales@schulzspeyer.de www.schulzspeyer.de

#### NORWAY

BS Eurobib AS Alf Bjerckes Vei 20 0582 Oslo

post@bseurobib.no www.bseurobib.no

#### BELGIUM

SBNL - Schulz Benelux BVBA Appelweg 94 C 3221 Holsbeek

info@sbnl.be www.sbnl.be

